Invento seurch

## LAMM 09/848,462

## => d his

	FILE	'HCAPL	US	' I	ENTER	RED	AT	17:2	2:29	ON	23	OCT	2001
L1		68	S	MOI	NDET	J?,	/AU						
L2		0	S	L1	AND	OR	SANC	SILO	XY?				
L3		0	S	Ll	AND	OR	GANC	SIL?					
L4		13	S	L1	AND	CAI	RBO	ζ?					
			SE	LE	CT RN	l L	4 1-	-4'					
			DE.	т (	opt pe	'n							

DEL SELECT SELECT RN L4 1-13

FILE	'REGISTRY'	ENTERED	ΑT	17:24:31	ON	23	OCT	2001
	200 S E1-	-200						

L522 S E201-222 L6L7 222 S L5-6 SAVE L7 LAM462I/A

FILE 'HCAPLUS' ENTERED AT 17:25:31 ON 23 OCT 2001

L8

13 S L4 AND L7

13 Citations

#### => d ibib abs hitstr 1-13

L8 ANSWER 1 OF 13 HCAPLUS COPYRIGHT 2001 ACS ACCESSION NUMBER: 1998:682272 HCAPLUS

DOCUMENT NUMBER: 129:320988

TITLE: Cosmetic or dermatological composition containing

organometallic compounds, polymers, and alcohols

APPLICATION NO. DATE

INVENTOR(S): Mondet, Jean; Quinn, Francis Xavier;

Sanchez, Clement

PATENT ASSIGNEE(S): L'oreal, Fr.

SOURCE: PCT Int. Appl., 35 pp.

CODEN: PIXXD2

Patent

KIND DATE

DOCUMENT TYPE:

LANGUAGE: French

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.

```
WO 9844906 A1 19981015 WO 1998-FR682 19980403
          W: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, GM, GW, HU, ID, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM RW: GH, GM, KE, LS, MW, SD, SZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG
                                                    AU 1998-70553 19980403
      AU 9870553
                           A1 19981030
      AU 717355
                            B2
                                  20000323
                                  20000119
                                                  EP 1998-917304 19980403
      EP 971685
                           A1
           R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT,
                IE, FI
      BR 9808454
                            Α
                                  20000523
                                                    BR 1998-8454
                                                                         19980403
                          T2
                                                    JP 1998-542451 19980403
      JP 2000510167
                                  20000808
                                                FR 1997-4157 A 19970404
WO 1998-FR682 W 19980403
PRIORITY APPLN. INFO.:
                                                WO 1998-FR682
      A cosmetic or dermatol. compn. designed for forming a film, on a keratin
AΒ
      substrate, in cross-linked hybrid material is disclosed. Said compn. is
      of the sol/gel type and is obtained by mixing: (a) at least an
      organometallic compd.; (b) at least a functionalized org. polymer or said
      polymer precursor, or at least a functionalized silicone polymer or said
      polymer precursor, the latter precursor being different from (a); (c) a
      sufficient amt. of water for hydrolyzing the organometallic compd.; and
      (d) optionally at least an alc.; said film being non-reversible. A nail
      polish contained tetraethoxysilane 53.4, 50% poly(2-ethyl-2-oxazoline)
      19.0, ethanol 11.8, and water (pH = 2) 9.2%.
      64-17-5, Ethanol, biological studies 78-10-4
ΙT
      78-62-6 79-10-7D, 2-Propenoic acid, polymers
      79-41-4D, polymers 97-65-4D, Itaconic acid, polymers
      110-16-7D, Maleic acid, polymers 546-68-9
      557-75-5D, Ethenol, polymers 1184-84-5D, Vinylsulfonic
      acid, polymers 1303-86-2, Boron oxide, biological studies
      1314-35-8, Tungsten oxide, biological studies 1332-29-2,
      Tinoxide 1332-37-2, Iron oxide, biological studies
      1344-28-1, Aluminum oxide, biological studies 1746-03-8D
      , Vinylphosphonic acid, polymers 2031-67-6 3087-36-3,
      Titanium tetraethoxide 3724-65-0D, 2-Butenoic acid, polymers
      5058-42-4, Iron triethoxide 5593-70-4 7631-86-9
      , Silicon oxide, biological studies 9003-39-8, Pvp
```

```
10595-80-9D, 2-Sulfoethyl methacrylate, polymers
    11129-18-3, Cerium oxide 13463-67-7, Titanium oxide,
    biological studies 15214-89-8D, polymers 23519-77-9,
    Tetrapropylzirconate 25322-68-3 25805-17-8,
     Poly(2-ethyl-2-oxazoline) 26914-43-2D, Styrene sulfonic acid,
    polymers 31692-79-2, Polydimethylsiloxanediol 84740-99-8
     214688-70-7
    RL: BUU (Biological use, unclassified); BIOL (Biological study); USES
        (cosmetic or dermatol. compn. contg. organometallic compds. and
        polymers)
RN
     64-17-5 HCAPLUS
    Ethanol (9CI) (CA INDEX NAME)
CN
{\rm H_3C-CH_2-OH}
RN
     78-10-4 HCAPLUS
     Silicic acid (H4SiO4), tetraethyl ester (8CI, 9CI) (CA INDEX NAME)
CN
     OEt
Eto-Si-OEt
     OEt
RN
     78-62-6 HCAPLUS
    Silane, diethoxydimethyl- (8CI, 9CI) (CA INDEX NAME)
CN
    OEt
Me-Si-Me
    OEt
    79-10-7 HCAPLUS
RN
    2-Propenoic acid (9CI) (CA INDEX NAME)
CN
   0
HO-C-CH=CH2
     79-41-4 HCAPLUS
RN
     2-Propenoic acid, 2-methyl- (9CI) (CA INDEX NAME)
CN
   CH2
Me-C-CO2H
RN
     97-65-4 HCAPLUS
     Butanedioic acid, methylene- (9CI) (CA INDEX NAME)
CN
```

RN 110-16-7 HCAPLUS

CN 2-Butenedioic acid (2Z)- (9CI) (CA INDEX NAME)

Double bond geometry as shown.

RN 546-68-9 HCAPLUS

CN 2-Propanol, titanium(4+) salt (9CI) (CA INDEX NAME)

1/4 Ti(IV)

RN 557-75-5 HCAPLUS

CN Ethenol (9CI) (CA INDEX NAME)

$$H_2C = CH - OH$$

RN 1184-84-5 HCAPLUS

CN Ethenesulfonic acid (6CI, 8CI, 9CI) (CA INDEX NAME)

$$H_2C = CH - SO_3H$$

RN 1303-86-2 HCAPLUS

CN Boron oxide (B2O3) (6CI, 8CI, 9CI) (CA INDEX NAME)

\*\*\* STRUCTURE DIAGRAM IS NOT AVAILABLE \*\*\*

RN 1314-35-8 HCAPLUS

CN Tungsten oxide (WO3) (6CI, 7CI, 8CI, 9CI) (CA INDEX NAME)

RN 1332-29-2 HCAPLUS

CN Tin oxide (8CI, 9CI) (CA INDEX NAME)

\*\*\* STRUCTURE DIAGRAM IS NOT AVAILABLE \*\*\* 1332-37-2 HCAPLUS RN Iron oxide (8CI, 9CI) (CA INDEX NAME) CN \*\*\* STRUCTURE DIAGRAM IS NOT AVAILABLE \*\*\* 1344-28-1 HCAPLUS RN Aluminum oxide (Al2O3) (8CI, 9CI) (CA INDEX NAME) CN \*\*\* STRUCTURE DIAGRAM IS NOT AVAILABLE \*\*\* RN 1746-03-8 HCAPLUS CN Phosphonic acid, ethenyl- (9CI) (CA INDEX NAME)  $H_2C = CH - PO_3H_2$ RN 2031-67-6 HCAPLUS CN Silane, triethoxymethyl- (8CI, 9CI) (CA INDEX NAME) OEt EtO-Si-Me OEt 3087-36-3 HCAPLUS RN CN Ethanol, titanium(4+) salt (9CI) (CA INDEX NAME) H3C-CH2-OH 1/4 Ti(IV) RN 3724-65-0 HCAPLUS 2-Butenoic acid (9CI) (CA INDEX NAME) Me-CH-CO2H 5058-42-4 HCAPLUS RN CN Ethanol, iron(3+) salt (8CI, 9CI) (CA INDEX NAME) H3C-CH2-OH 1/3 Fe(III) RN 5593-70-4 HCAPLUS

1-Butanol, titanium(4+) salt (9CI) (CA INDEX NAME)

 $_{\rm H3C-CH_2-CH_2-CH_2-OH}$ 

●1/4 Ti(IV)

RN 7631-86-9 HCAPLUS

CN Silica (7CI, 8CI, 9CI) (CA INDEX NAME)

o = si = o

RN 9003-39-8 HCAPLUS

CN 2-Pyrrolidinone, 1-ethenyl-, homopolymer (9CI) (CA INDEX NAME)

CM 1

CRN 88-12-0 CMF C6 H9 N O

CH==CH2

RN 10595-80-9 HCAPLUS

CN 2-Propenoic acid, 2-methyl-, 2-sulfoethyl ester (9CI) (CA INDEX NAME)

$$\begin{array}{c|c} \text{O} & \text{CH}_2 \\ \parallel & \parallel \\ \text{HO}_3 \text{S} - \text{CH}_2 - \text{CH}_2 - \text{O} - \text{C} - \text{C} - \text{Me} \end{array}$$

RN 11129-18-3 HCAPLUS

CN Cerium oxide (9CI) (CA INDEX NAME)

\*\*\* STRUCTURE DIAGRAM IS NOT AVAILABLE \*\*\*

RN 13463-67-7 HCAPLUS

CN Titanium oxide (TiO2) (8CI, 9CI) (CA INDEX NAME)

o = Ti = o

RN 15214-89-8 HCAPLUS

CN 1-Propanesulfonic acid, 2-methyl-2-{(1-oxo-2-propenyl)amino}- (9CI) (CA INDEX NAME)

$$\begin{array}{c} \text{O} \\ || \\ \text{NH-C-CH} \\ || \\ \text{Me-C-CH}_2 - \text{SO}_3\text{H} \\ || \\ \text{Me} \end{array}$$

RN 23519-77-9 HCAPLUS CN 1-Propanol, zirconium(4+) salt (9CI) (CA INDEX NAME)

H3C-СH2-СH2-ОН

1/4 Zr(IV)

RN 25322-68-3 HCAPLUS
CN Poly(oxy-1,2-ethanediyl), .alpha.-hydro-.omega.-hydroxy- (9CI) (CA INDEX NAME)

$$HO - CH_2 - CH_2 - O - H$$

RN 25805-17-8 HCAPLUS
CN Oxazole, 2-ethyl-4,5-dihydro-, homopolymer (9CI) (CA INDEX NAME)

CM 1

CRN 10431-98-8 CMF C5 H9 N O

RN 26914-43-2 HCAPLUS CN Benzenesulfonic acid, ethenyl- (9CI) (CA INDEX NAME)



D1-CH=CH2

D1-SO3H

$$\begin{array}{c|c} \text{Me} & \\ \hline \\ \text{H} & \hline \\ \text{O-} & \text{Si} \\ \hline \\ \text{Me} & \\ \end{array} \\ \text{OH}$$

RN 84740-99-8 HCAPLUS

CN Benzoic acid, 4-ethenyl-, 1,1-dimethylethyl ester, polymer with 2-butenoic acid and ethenyl acetate (9CI) (CA INDEX NAME)

CM 1

CRN 84740-98-7 CMF C13 H16 O2

CM 2

CRN 3724-65-0 CMF C4 H6 O2

Me-CH-CO2H

CM 3

CRN 108-05-4 CMF C4 H6 O2 Aco-CH-CH2

214688-70-7 HCAPLUS RN

Ethanol, tungsten(3+) salt (9CI) (CA INDEX NAME) CN

H3C-CH2-OH

1/3 W(III)

ANSWER 2 OF 13 HCAPLUS COPYRIGHT 2001 ACS

ACCESSION NUMBER: 1998:55498 HCAPLUS

DOCUMENT NUMBER: 128:132249

Preparation and use of acrylic copolymers in cosmetics TITLE:

INVENTOR(S): Mondet, Jean; Lion, Bertrand

L'Oreal, Fr.; Mondet, Jean; Lion, Bertrand PCT Int. Appl., 29 pp. PATENT ASSIGNEE(S):

SOURCE:

CODEN: PIXXD2

DOCUMENT TYPE:

Patent

LANGUAGE: French

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PAT	TENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO	9800096	A1	19980108	WO 1997-FR1165	19970630
	W: JP, US				
	RW: AT, BE,	CH, DE	, DK, ES,	FI, FR, GB, GR, IE, IT,	, LU, MC, NL, PT, SE
FR	2750600	A1	19980109	FR 1996-8220	19960702
FR	2750600	B1	19980911		
ΕÞ	847270	A1	19980617	EP 1997-931834	19970630
	R: DE, ES,	FR, GB	, IT		
JP	10511406	Т2	19981104	JP 1997-503888	19970630
US	5965116	А	19991012	US 1998-29757	19980417
PRIORITY	APPLN. INFO	. :		FR 1996-8220	19960702
				WO 1997-FR1165	19970630

AB The use in and for the prepn. of cosmetic and dermatol. compns. of one copolymer obtainable by the copolymn. of a mixt. of monomers comprising: (a) 5 to 25 wt.% of at least one ethylenically unsatd. monomer (A) comprising at least one carboxylic acid function; (b) 3 to 30 wt.% of at least one monomer (B) H2C=C(R1)-COOR2 (R1 = H, Me; R2 = linear, branched, cyclic, satd., unsatd., or arom. C8-40 alkyl); (c) of at least one monomer (C) selected from the group constituted by tert-Bu methacrylate, tert-Bu acrylate and their mixts., in a proportion higher than 50 %, such that the polymer glass transition temp. (Tg) is at least 15 C, the wt. percentages being computed with respect to the total amt. of monomer used. An acrylic polymer was prepd. by reaction of a mixt. comprising acrylic acid 15, tert-Bu acrylate 65, and lauryl acrylate 20% in Et acetate. A compn. contq. above acrylic copolymer 2, 2-amino-2-methyl-propan-1-ol q.s. and ethanol q.s. 100 g. was prepd. A hair spray contained above compn. 65, and di-Me ether 35 q.

80883-24-5P 143453-09-2P 143453-10-5P TΤ 201928-76-9P

RL: BUU (Biological use, unclassified); SPN (Synthetic preparation); BIOL (Biological study); PREP (Preparation); USES (Uses) (prepn. and use of acrylic copolymers in cosmetics)

RN 80883-24-5 HCAPLUS

CN 2-Propenoic acid, polymer with 1,1-dimethylethyl 2-propenoate and 2-ethylhexyl 2-propenoate (9CI) (CA INDEX NAME)

CM 1

CRN 1663-39-4 CMF C7 H12 O2

CM . 2

CRN 103-11-7 CMF C11 H20 O2

$$\begin{array}{c} \text{O} \\ \parallel \\ \text{CH}_2-\text{O-C-CH} \Longrightarrow \text{CH}_2 \\ \parallel \\ \text{Et-CH-Bu-n} \end{array}$$

CM 3

CRN 79-10-7 CMF C3 H4 O2

RN 143453-09-2 HCAPLUS

CN 2-Propenoic acid, polymer with 1,1-dimethylethyl 2-propenoate and dodecyl 2-propenoate (9CI) (CA INDEX NAME)

CM 1

CRN 2156-97-0 CMF C15 H28 O2

$$\begin{array}{c} \text{O} \\ \parallel \\ \text{Me- (CH}_2)_{17} - \text{O- C- CH} \longrightarrow \text{CH}_2 \end{array}$$

RN 201928-76-9 HCAPLUS

CN 2-Propenoic acid, 2-methyl-, octadecyl ester, polymer with 1,1-dimethylethyl 2-propenoate and 2-propenoic acid (9CI) (CA INDEX NAME)

CM 1

CRN 32360-05-7 CMF C22 H42 O2

$$\begin{array}{c|c} \text{O} & \text{CH}_2 \\ \parallel & \parallel \\ \text{Me-} & \text{(CH}_2)_{17} - \text{O-C-C-Me} \end{array}$$

CM 2

CRN 1663-39-4 CMF C7 H12 O2

CM 3

CRN 79-10-7 CMF C3 H4 O2

L8 ANSWER 3 OF 13 HCAPLUS COPYRIGHT 2001 ACS

ACCESSION NUMBER:

1997:562984 HCAPLUS

DOCUMENT NUMBER:

127:225088

TITLE:

SOURCE:

Cosmetic use of natural microfibrils and a

film-forming polymer as a composite coating agent for

hair, eyelashes, eyebrows and nails

INVENTOR(S):

Mondet, Jean

PATENT ASSIGNEE(S):

L'Oreal, Fr.; Mondet, Jean PCT Int. Appl., 25 pp.

CODEN: PIXXD2

DOCUMENT TYPE:

Patent

LANGUAGE:

French

FAMILY ACC. NUM. COUNT:

PATENT INFORMATION:

```
PATENT NO.
                     KIND DATE
                                          APPLICATION NO.
                                                           DATE
                           -----
                     ----
                                          -----
                           19970821
    WO 9729734
                     A1
                                          WO 1997-FR165
                                                           19970128
        W: AL, AM, AU, AZ, BB, BG, BR, BY, CA, CN, CU, CZ, EE, GE, HU, IL,
             IS, JP, KE, KG, KP, KR, KZ, LK, LR, LS, LT, LV, MD, MG, MK, MN,
             MW, MX, NO, NZ, RO, RU, SD, SG, SI, SK, TJ, TM, TR, TT, UA, UG,
             US, UZ, VN
         RW: AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT,
             SE, BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG
     FR 2744632
                      A1
                           19970814
                                          FR 1996-1751
                                                           19960213
     FR 2744632
                      В1
                           19980327
                            19970821
                                          CA 1997-2215512
    CA 2215512
                      AA
                                                           19970128
     AU 9715570
                      A1
                            19970902
                                          AU 1997-15570
                                                           19970128
                           19980128
                                          EP 1997-901686
     EP 820267
                      A1
                                                           19970128
        R: DE, ES, FR, GB, IT
     JP 11500455
                      Т2
                            19990112
                                          JP 1997-529040
                                                           19970128
     JP 3036849
                       B2
                            20000424
     US 6001338
                      Α
                            19991214
                                          US 1997-930835
                                                           19971014
                                                      A 19960213
PRIORITY APPLN. INFO.:
                                        FR 1996-1751
                                                        A 19960213
                                        FR 1996-7151
                                                       W 19970128
                                       WO 1997-FR165
     The use of an aq. soln. or dispersion of a film-forming polymer and an aq.
AB
     suspension of natural microfibrils in the form of elongate rigid particles
     as a composite coating agent for hair, eyelashes, eyebrows and nails in
     and for the prepn. of a cosmetic or dermatol. compn., is disclosed.
     14265-44-2, Phosphate, biological studies 14808-79-8,
ΙT
     Sulfate, biological studies
     RL: BOC (Biological occurrence); BUU (Biological use, unclassified); BIOL
     (Biological study); OCCU (Occurrence); USES (Uses)
        (cosmetic use of natural microfibrils and a film-forming polymer as a
        composite coating agent for hair, eyelashes, eyebrows and nails)
     14265-44-2 HCAPLUS
RN
     Phosphate (8CI, 9CI) (CA INDEX NAME)
CN
```

RN 14808-79-8 HCAPLUS CN Sulfate (7CI, 8CI, 9CI) (CA INDEX NAME)

RN

#### IT 189166-22-1

RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)

(cosmetic use of natural microfibrils and a film-forming polymer as a composite coating agent for hair, eyelashes, eyebrows and nails) 189166-22-1 HCAPLUS

2-Propenoic acid, polymer with 1,1-dimethylethyl 2-propenoate and CN 2-methylpropyl 2-propenoate (9CI) (CA INDEX NAME)

CM 1

CRN 1663-39-4 CMF C7 H12 O2

CM 2

CRN 106-63-8 CMF C7 H12 O2

CM

CRN 79-10-7 CMF C3 H4 O2

ΙT 78-67-1, Azobis-isobutyronitrile

RL: CAT (Catalyst use); USES (Uses)

(cosmetic use of natural microfibrils and a film-forming polymer as a composite coating agent for hair, eyelashes, eyebrows and nails)

78-67-1 HCAPLUS RN

CN Propanenitrile, 2,2'-azobis[2-methyl- (9CI) (CA INDEX NAME)

9004-34-6, Cellulose, biological studies 9012-76-4,

Chitosan

RL: BUU (Biological use, unclassified); BIOL (Biological study); USES

(microfibrils; cosmetic use of natural microfibrils and a film-forming

#### LAMM 09/848,462

```
polymer as a composite coating agent for hair, eyelashes, eyebrows and
       nails)
RN
     9004-34-6 HCAPLUS
    Cellulose (8CI, 9CI) (CA INDEX NAME)
CN
*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***
RN
    9012-76-4 HCAPLUS
CN
    Chitosan (8CI, 9CI) (CA INDEX NAME)
*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***
    ANSWER 4 OF 13 HCAPLUS COPYRIGHT 2001 ACS
^{18}
                        1996:245939 HCAPLUS
ACCESSION NUMBER:
                        124:298451
DOCUMENT NUMBER:
                        Cosmetic nail compositions containing
TITLE:
                         carboxylic acid polymers
INVENTOR(S):
                        Ramin, Roland; Mondet, Jean
PATENT ASSIGNEE(S):
                        Oreal Societe Anonyme, Fr.
                        Fr. Demande, 15 pp.
SOURCE:
                        CODEN: FRXXBL
DOCUMENT TYPE:
                        Patent
LANGUAGE:
                         French
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:
                  KIND DATE
     PATENT NO.
                                          APPLICATION NO.
                                                           DATE
                     ----
     FR 2722404
                                          FR 1994-8731
                      A1
                           19960119
                                                         19940713
                     B1
                          19961004
     FR 2722404
    The title nail compn. are claimed for care of nails (Markush structure
AΒ
     given). A nail compn. contained AQ 38 75.50, crotonic acid-vinyl
     acetate-vinyl-tert-butyl-4-benzoate copolymer neutralized 100% by
     2-amino-2-methyl-1-propanol 5.0, glycerin 3.0, and D-panthenol 0.5 g.
    50-00-0, Formaldehyde, biological studies 56-81-5,
ΙT
    Glycerin, biological studies 57-13-6, Urea, biological studies
     546-93-0, Magnesium carbonate 9004-61-9, Hyaluronic acid
     9012-76-4, Chitosan 25609-89-6, Crotonic acid-vinyl
     acetate copolymer 26062-56-6 53200-28-5
     54590-72-6, AQ38 58748-38-2 75248-76-9
     149698-09-9 156904-65-3 156904-67-5
     164982-62-1
     RL: BUU (Biological use, unclassified); BIOL (Biological study); USES
        (cosmetic nail compns. contg. carboxylic polymers)
     50-00-0 HCAPLUS
RN
     Formaldehyde (8CI, 9CI) (CA INDEX NAME)
CN
H_2C = 0
RN
     56-81-5 HCAPLUS
CN
     1,2,3-Propanetriol (9CI) (CA INDEX NAME)
        OH
HO-CH2-CH-CH2-OH
```

RN 57-13-6 HCAPLUS CN Urea (8CI, 9CI) (CA INDEX NAME) Ш H2N-C-NH2 RN 546-93-0 HCAPLUS Carbonic acid, magnesium salt (1:1) (8CI, 9CI) (CA INDEX NAME) HO- C- OH Mg 9004-61-9 HCAPLUS RN CN Hyaluronic acid (8CI, 9CI) (CA INDEX NAME) \*\*\* STRUCTURE DIAGRAM IS NOT AVAILABLE \*\*\* 9012-76-4 HCAPLUS RN Chitosan (8CI, 9CI) (CA INDEX NAME) CN \*\*\* STRUCTURE DIAGRAM IS NOT AVAILABLE \*\*\* RN 25609-89-6 HCAPLUS CN 2-Butenoic acid, polymer with ethenyl acetate (9CI) (CA INDEX NAME) CM 1 CRN 3724-65-0 CMF C4 H6 O2 Me-CH-CO2H 2 CM CRN 108-05-4 CMF C4 H6 O2 AcO-CH-CH2 26062-56-6 HCAPLUS RN 2-Propenoic acid, polymer with N-(1,1-dimethylethyl)-2-propenamide and ethyl 2-propenoate (9CI) (CA INDEX NAME) CM 1

CRN 140-88-5 CMF C5 H8 O2

CMF C4 H2 O3

CRN 107-25-5 CMF C3 H6 O

H2C==CH-O-CH3

54590-72-6 HCAPLUS RN

1,3-Benzenedicarboxylic acid, 5-sulfo-, monosodium salt, polymer with 1,3-benzenedicarboxylic acid, 1,4-cyclohexanedimethanol and 2,2'-oxybis[ethanol] (9CI) (CA INDEX NAME) CN

CM 1

CRN 6362-79-4

CMF C8 H6 O7 S . Na

### Na

CM 2

CRN 121-91-5 CMF C8 H6 O4

CM 3

111-46-6 CRN CMF C4 H10 O3 HO-CH2-CH2-O-CH2-CH2-OH

CM 4

CRN 105-08-8 CMF C8 H16 O2

$$\begin{array}{c} \text{CH}_2\text{--OH} \\ \\ \text{HO--CH}_2 \end{array}.$$

RN 58748-38-2 HCAPLUS

CN Neodecanoic acid, ethenyl ester, polymer with 2-butenoic acid and ethenyl acetate (9CI) (CA INDEX NAME)

CM 1

CRN 51000-52-3 CMF C12 H22 O2

CCI IDS

CDES 8:ID, NEO

CM 2

CRN 3724-65-0 CMF C4 H6 O2

 $Me-CH-CO_2H$ 

CM 3

CRN 108-05-4 CMF C4 H6 O2

AcO-CH-CH2

RN 75248-76-9 HCAPLUS

CN 2-Butenoic acid, polymer with ethenyl acetate and ethenyl 4-(1,1-dimethylethyl)benzoate (9CI) (CA INDEX NAME)

CM 1

CRN 15484-80-7 CMF C13 H16 O2

CM 2

CRN 3724-65-0 CMF C4 H6 O2

 $Me^- CH \longrightarrow CH - CO_2H$ 

CM 3

CRN 108-05-4 CMF C4 H6 O2

 $AcO-CH=CH_2$ 

RN 149698-09-9 HCAPLUS

CN 2-Propenoic acid, 2-methyl-, 2-[(1,1-dimethylethyl)amino]ethyl ester, polymer with 2-hydroxypropyl 2-methyl-2-propenoate, methyl 2-methyl-2-propenoate, N-octyl-2-propenamide and 2-propenoic acid (9CI) (CA INDEX NAME)

CM 1

CRN 10124-68-2 CMF C11 H21 N O

CM 2

CRN 3775-90-4 CMF C10 H19 N O2

CRN 923-26-2 CMF C7 H12 O3

CM 4

CRN 80-62-6 CMF C5 H8 O2

CM 5

CRN 79-10-7 CMF C3 H4 O2

RN 156904-65-3 HCAPLUS

CN Benzoic acid, 4-(1,1-dimethylethyl)-, ethenyl ester, polymer with 2-butenoic acid, ethenyl acetate and ethenyl neodecanoate (9CI) (CA INDEX NAME)

CM 1

CRN 51000-52-3 CMF C12 H22 O2 CCI IDS CDES 8:ID, NEO

O || (neo-C9H<sub>1</sub>9) - C-O-CH== CH<sub>2</sub>

CRN 15484-80-7 CMF C13 H16 O2

CM 3

CRN 3724-65-0 CMF C4 H6 O2

 $Me-CH=CH-CO_2H$ 

CM 4

CRN 108-05-4 CMF C4 H6 O2

AcO-CH-CH2

RN 156904-67-5 HCAPLUS

CN Benzoic acid, 4-(1,1-dimethylethyl)-, ethenyl ester, polymer with 2-butenoic acid, ethenyl acetate and 2-propenyl octadecanoate (9CI) (CA INDEX NAME)

CM 1

CRN 15484-80-7 CMF C13 H16 O2

CM 2

CRN 6289-31-2

CMF C21 H40 O2

$$_{\rm H_2C}$$
 CH-CH<sub>2</sub>-O-C-(CH<sub>2</sub>)<sub>16</sub>-Me

CM 3

CRN 3724-65-0 CMF C4 H6 O2

 $Me-CH=CH-CO_2H$ 

CM 4

CRN 108-05-4 CMF C4 H6 O2

AcO-CH-CH2

RN 164982-62-1 HCAPLUS

CN Acetic acid ethenyl ester, polymer with .alpha.-(1-oxo-2-butenyl)-.omega.-hydroxypoly(oxy-1,2-ethanediyl) (9CI) (CA INDEX NAME)

CM 1

CRN 84180-83-6

CMF (C2 H4 O)n C4 H6 O2

CCI PMS

CM 2

CRN 108-05-4 CMF C4 H6 O2

AcO-CH-CH2

T7-86-1 102-71-6, Triethanolamine, reactions
111-42-2, Diethanolamine, reactions 115-69-5,
2-Amino-2-methyl-propane-1,3-diol 122-20-3, Triisopropanolamine
124-68-5, 2-Amino-2-methyl-propanol 141-43-5,
Monoethanolamine, reactions 1310-58-3, Potassium hydroxide,

reactions 1310-73-2, Sodium hydroxide, reactions

RL: RCT (Reactant)

(cosmetic nail compns. contg. carboxylic polymers)

RN 77-86-1 HCAPLUS

CN 1,3-Propanediol, 2-amino-2-(hydroxymethyl)- (8CI, 9CI) (CA INDEX NAME)

$$\begin{array}{c} ^{\rm NH2} \\ ^{\rm HO-CH_2-C-CH_2-OH} \\ ^{\rm CH_2-OH} \end{array}$$

RN 102-71-6 HCAPLUS

CN Ethanol, 2,2',2''-nitrilotris- (9CI) (CA INDEX NAME)

RN 111-42-2 HCAPLUS

CN Ethanol, 2,2'-iminobis- (9CI) (CA INDEX NAME)

$$HO-CH_2-CH_2-NH-CH_2-CH_2-OH$$

RN 115-69-5 HCAPLUS

CN 1,3-Propanediol, 2-amino-2-methyl- (6CI, 7CI, 8CI, 9CI) (CA INDEX NAME)

RN 122-20-3 HCAPLUS

CN 2-Propanol, 1,1',1''-nitrilotris- (9CI) (CA INDEX NAME)

RN 124-68-5 HCAPLUS

CN 1-Propanol, 2-amino-2-methyl- (8CI, 9CI) (CA INDEX NAME)

```
NH2
|
Me-C-CH2-OH
|
Me
```

RN 141-43-5 HCAPLUS

CN Ethanol, 2-amino- (8CI, 9CI) (CA INDEX NAME)

H2N-CH2-CH2-OH

RN 1310-58-3 HCAPLUS

CN Potassium hydroxide (K(OH)) (9CI) (CA INDEX NAME)

к-он

RN 1310-73-2 HCAPLUS

CN Sodium hydroxide (Na(OH)) (9CI) (CA INDEX NAME)

Na-OH

L8 ANSWER 5 OF 13 HCAPLUS COPYRIGHT 2001 ACS

ACCESSION NUMBER:

1996:153425 HCAPLUS

DOCUMENT NUMBER:

124:202610

TITLE:

Synthesis of high-purity haloalkylferrocenes by Friedel-Crafts reaction and metal hydride reduction

INVENTOR(S): Graindorge, Herve; Mondet, Jean-Claude;

Vincent, Charles-Henry

PATENT ASSIGNEE(S):

Societe Nationale des Poudres et Explosifs, Fr.

SOURCE:

Eur. Pat. Appl., 8 pp.

DOCUMENT TYPE:

CODEN: EPXXDW Patent

LANGUAGE:

French

FAMILY ACC. NUM. COUNT: 1

1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
EP 687683	A1	19951220	EP 1995-401304	19950606
EP 687683 R: CH, DE,	B1 GB, IT	20000322 , LI, NL, S	SE	
FR 2721028	A1	19951215	FR 1994-7223	19940614
FR 2721028	B1	19960712		
IL 113555	A1	19980816	IL 1995-113555	19950501
CA 2149195	AA	19951215	CA 1995-2149195	19950511
US 5550267	Α	19960827	US 1995-470966	19950606
NO 9502302	Α	19951215	NO 1995-2302	19950612
JP 08041090	A2	19960213	JP 1995-144480	19950612
PRIORITY APPLN. INFO	.:		FR 1994-7223	19940614
OTHER SOURCE(S):	CA	SREACT 124	:202610; MARPAT 124:20	2610

AB The present invention relates to a method of synthesis of haloalkylferrocenes I (R = C1-C47 alkyl; R1, R2 = H, C1-C8 alkyl; X = C1, Br), comprising in a 1st step the reaction of a carboxylic acid halide or anhydride of XRCO2H with ferrocene or an alkylferrocene in the presence of AlC13 catalyst in an org. solvent medium. After this step, without isolation of the intermediate, one adds a metallic hydride. For example, ferrocene reacts in CH2C12 at reflux with AlC13/4-chlorobutyryl chloride, after which NaBH4 in triglyme is added, the product mixt. is hydrolyzed and the desired product sepd. by reduced-pressure distn. to give 78% (4-chlorobutyl)ferrocene with >99% purity. The haloalkylferrocenes are particularly useful as intermediates in the synthesis of combustion catalysts for propergols.

102-54-5, Ferrocene 625-36-5, 3-Chloropropanoyl chloride 4635-59-0, 4-Chlorobutyryl chloride


RL: RCT (Reactant)

(for prepn. of (haloalkyl)ferrocene)

RN 102-54-5 HCAPLUS

CN Ferrocene (8CI, 9CI) (CA INDEX NAME)

Ι




RN 625-36-5 HCAPLUS

CN Propanoyl chloride, 3-chloro- (9CI) (CA INDEX NAME)


RN 4635-59-0 HCAPLUS CN Butanoyl chloride, 4-chloro- (9CI) (CA INDEX NAME)

IT 53337-31-8P, (3-Chloropropyl)ferrocene 141719-29-1P,
 (4-Chlorobutyl)ferrocene
RL: SPN (Synthetic preparation); PREP (Preparation)
 (prepn. in high purity as intermediate for combustion catalysts for propergols)
RN 53337-31-8 HCAPLUS

CN Ferrocene, (3-chloropropyl) - (9CI) (CA INDEX NAME)



RN 141719-29-1 HCAPLUS CN Ferrocene, (4-chlorobutyl)- (9CI) (CA INDEX NAME)



L8 ANSWER 6 OF 13 HCAPLUS COPYRIGHT 2001 ACS

ACCESSION NUMBER: 1994:517318 HCAPLUS

DOCUMENT NUMBER: 121:117318

TITLE: Hair-setting composition containing film-forming

polymer having carboxylic acid functions

neutralized and plasticizers

INVENTOR(S): Mondet, Jean; Sturla, Jean Michel; Lion,

Bertrand; Dupuis, Christine; Cazeneuve, Colette

PATENT ASSIGNEE(S): Oreal S. A., Fr.

SOURCE: PCT Int. Appl., 32 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: French

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATI	ENT NO.	KIND	DATE		APPLICATION NO.	DATE
WO S		A1 BR, CA, JI			WO 1993-FR1063	19931028
	RW: AT,	BE, CH, DE	E, DK, ES,	FR,	GB, GR, IE, IT, LU,	MC, NL, PT, SE
FR 2	2697160	A1	19940429		FR 1992-12872	19921028
		B1				
CA 2	2117355	AA	19940511		CA 1993-2117355	19931028
AU 9	9454240	A1	19940524		AU 1994-54240	19931028
AU (	667246	В2	19960314			
ZA S	9308060	A	19940607		ZA 1993-8060	19931028
					EP 1993-924650	19931028
EP (	618793	B1	19970502			
					GB, GR, IE, IT, LI,	
					JP 1993-510777	
BR S	9305699	A	19961231		BR 1993-5699	19931028
AT :	152344	E	19970515		BR 1993-5699 AT 1993-924650	19931028
ES 2	2101357	Т3	19970701		ES 1993-924650	19931028
US S	5660820	A	19970826		US 1995-483266	19950607
US !	5709850	A	19980120		US 1996-654761	19960529
PRIORITY	APPLN.	INFO.:		]	FR 1992-12872	19921028
					NO 1993-FR1063	19931028

US 1994-256019 19940829

AB An aq. cosmetic hair-setting compn. consisting of an aq. dispersion of:
(a) particles of a film-forming polymer having carboxylic acid
functions neutralized at a rate of 10-80% by a non-volatile monobasic
agent, said particles having an av. diam. of 10-300 nm; and (b) at least
one plasticizer. The compn. is preferably an aerosol spray, a setting
lotion or a styling foam. The polymer compn. contained vinyl
acetate-crotonic acid-vinyl 4-tert-butyl-benzoate copolymer 40,
triisopropanolamine 5.32, diisopropyl adipate 8 and aceton 106.2 g. A
hair aerosol contained above polymer compn. 36, di-Me ether 48, perfumes
0.05, and water q.s. 100g.

75248-76-9 98715-32-3 156904-65-3 156904-66-4 156904-67-5 156904-68-6 156904-69-7 156904-70-0 156943-94-1

RL: BIOL (Biological study)

(Hair wave-setting prepns. contg. plasticizers and)

RN 75248-76-9 HCAPLUS

CN 2-Butenoic acid, polymer with ethenyl acetate and ethenyl 4-(1,1-dimethylethyl)benzoate (9CI) (CA INDEX NAME)

CM 1

CRN 15484-80-7 CMF C13 H16 O2

CM 2

CRN 3724-65-0 CMF C4 H6 O2

Me-CH-CO2H

CM 3

CRN 108-05-4 CMF C4 H6 O2

AcO-CH-CH2

RN 98715-32-3 HCAPLUS

CN 2-Butenedioic acid (2Z)-, polymer with methoxyethene, butyl ester, compd. with 2-amino-2-methyl-1-propanol (9CI) (CA INDEX NAME)

CM 1

CRN 54578-91-5 CMF C4 H10 O . x (C4 H4 O4 . C3 H6 O)x CDES 8:GD, ESTER

CM 3

CRN 71-36-3 CMF C4 H10 O

$${\rm H_{3}C-CH_{2}-CH_{2}-CH_{2}-OH}$$

CM 4

CRN 25153-40-6 CMF (C4 H4 O4 . C3 H6 O) x CCI PMS CM 5 CRN 110-16-7 CMF C4 H4 O4

Double bond geometry as shown.

CM 6

CDES 2:Z

CRN 107-25-5 CMF C3 H6 O

H2C=CH-O-CH3

RN 156904-65-3 HCAPLUS

CN Benzoic acid, 4-(1,1-dimethylethyl)-, ethenyl ester, polymer with 2-butenoic acid, ethenyl acetate and ethenyl neodecanoate (9CI) (CA INDEX NAME)

CM 1

CRN 51000-52-3 CMF C12 H22 O2

CCI IDS

CDES 8:ID, NEO

$$0 \\ | | \\ (\text{neo-C9H}_{19}) - C - O - CH == CH_{2}$$

CM 2

CRN 15484-80-7 CMF C13 H16 O2

CM 3

CRN 3724-65-0 CMF C4 H6 O2

 $Me-CH-CO_2H$ 

CM 4

CRN 108-05-4 CMF C4 H6 O2

 $AcO-CH=CH_2$ 

RN 156904-66-4 HCAPLUS

CN Benzoic acid, ethenyl ester, polymer with 2-butenoic acid, ethenyl acetate and ethenyl neodecanoate (9CI) (CA INDEX NAME)

. CM 1

CRN 51000-52-3

CMF C12 H22 O2 CCI IDS CDES 8:ID, NEO

CM 2

CRN 3724-65-0 CMF C4 H6 O2

$$Me-CH=CH-CO_2H$$

CM 3 .

CRN 769-78-8 CMF C9 H8 O2

CM 4

CRN 108-05-4 CMF C4 H6 O2

# $AcO-CH=CH_2$

RN 156904-67-5 HCAPLUS

CN Benzoic acid, 4-(1,1-dimethylethyl)-, ethenyl ester, polymer with 2-butenoic acid, ethenyl acetate and 2-propenyl octadecanoate (9CI) (CA INDEX NAME)

CM 1

CRN 15484-80-7 CMF C13 H16 O2

CRN 6289-31-2 CMF C21 H40 O2

$$^{\rm O}_{\rm H_2C}$$
 CH-CH<sub>2</sub>-O-C-(CH<sub>2</sub>)<sub>16</sub>-Me

CM 3

CRN 3724-65-0 CMF C4 H6 O2

$$Me-CH=CH-CO_2H$$

CM 4

CRN 108-05-4 CMF C4 H6 O2

RN 156904-68-6 HCAPLUS

CN 2-Butenoic acid, polymer with ethenyl acetate and .alpha.-hydro-.omega.-hydroxypoly(oxy-1,2-ethanediyl), compd. with 2-amino-2-methyl-1-propanol (9CI) (CA INDEX NAME)

CM 1

CRN 124-68-5 CMF C4 H11 N O

CRN 68134-63-4

CMF (C4 H6 O2 . C4 H6 O2 . (C2 H4 O) n H2 O) x

CCI PMS

CM 3

CRN 25322-68-3

CMF (C2 H4 O)n H2 O

CCI PMS

$$HO = \begin{bmatrix} CH_2 - CH_2 - O \end{bmatrix}$$

CM 4

CRN 3724-65-0 CMF C4 H6 O2

$$Me-CH=CH-CO_2H$$

CM 5

CRN 108-05-4 CMF C4 H6 O2

$$AcO-CH=CH_2$$

RN 156904-69-7 HCAPLUS

CN 2-Butenoic acid, polymer with ethenyl acetate, compd. with 2-amino-2-methyl-1-propanol (9CI) (CA INDEX NAME)

CM 1

CRN 124-68-5

CMF C4 H11 N O

$$\begin{array}{c} \text{NH}_2 \\ | \\ \text{Me-C-CH}_2\text{-OH} \\ | \\ \text{Me} \end{array}$$

CM 2

CRN 25609-89-6

```
CMF (C4 H6 O2 . C4 H6 O2) \times
      CCI
           PMS
            CM
                   3
            CRN 3724-65-0
            CMF C4 H6 O2
Me-CH-CO_2H
            CM
            CRN 108-05-4
            CMF C4 H6 O2
AcO-CH-CH2
      156904-70-0 HCAPLUS
RN
      2-Propenoic acid, 2-methyl-, 2-[(1,1-dimethylethyl)amino]ethyl ester, polymer with 2-hydroxypropyl 2-methyl-2-propenoate, methyl 2-methyl-2-propenoate, 2-propenoic acid and N-(1,1,3,3-tetramethylbutyl)-2-
CN
      propenamide, compd. with 2-amino-2-methyl-1-propanol (9CI) (CA INDEX
      NAME)
      CM
            1
      CRN 124-68-5
      CMF C4 H11 N O
    NH<sub>2</sub>
Me-C-CH_2-OH
    Мe
      CM
            2
            67016-70-0
            (C11 H21 N O . C10 H19 N O2 . C7 H12 O3 . C5 H8 O2 . C3 H4 O2)x
      CMF
      CCI
            PMS
            CM
                   3
            CRN 4223-03-4
```

CMF C11 H21 N O

$$\begin{array}{c} \text{O} \\ || \\ \text{NH-C-CH} = \text{CH}_2 \\ | \\ \text{Me-C-CH}_2 - \text{CMe}_3 \\ | \\ \text{Me} \end{array}$$

CRN 3775-90-4 CMF C10 H19 N O2

CM 5

CRN 923-26-2 CMF C7 H12 O3

CM ~ 6

CRN 80-62-6 CMF C5 H8 O2

CM 7

CRN 79-10-7 CMF C3 H4 O2

RN 156943-94-1 HCAPLUS

CN Neodecanoic acid, ethenyl ester, polymer with 2-butenoic acid and ethenyl

acetate, compd. with 2-amino-2-methyl-1-propanol (9CI) (CA INDEX NAME)

CM 1

CRN 124-68-5 CMF C4 H11 N O

CM 2

CRN 58748-38-2

CMF (C12 H22 O2 . C4 H6 O2 . C4 H6 O2)x

CCI PMS

> CM 3

CRN 51000-52-3

CMF C12 H22 O2 CCI IDS

CDES 8:ID, NEO

$$\begin{array}{c} \text{O} \\ || \\ \text{(neo-C9H}_{19}\text{)} - \text{C--O-CH} \end{array}$$

CM

CRN 3724-65-0 CMF C4 H6 O2

Me-CH-CO2H

CM

CRN 108-05-4 CMF C4 H6 O2

AcO-CH-CH2

141-28-6, DiEthyl adipate 6938-94-9, Diisopropyl adipate ΙT 25498-49-1, Tripropylene glycol Monomethyl ether RL: BIOL (Biological study) (as plasticizer, Hair wave-setting prepns. contg. film-forming polymers and)

RN 141-28-6 HCAPLUS

CN Hexanedioic acid, diethyl ester (9CI) (CA INDEX NAME)

RN 6938-94-9 HCAPLUS

CN Hexanedioic acid, bis(1-methylethyl) ester (9CI) (CA INDEX NAME)

RN 25498-49-1 HCAPLUS

CN Propanol, [2-(2-methoxymethylethoxy)methylethoxy]- (9CI) (CA INDEX NAME)

$${\tt HO-CH_2-CH_2-O-CH_2-CH_2-O-CH_2-OH_2-OMe}$$

$$3 (D1-Me)$$

T7-86-1, 2-Amino-2-hydroxymethyl-1,3-propanediol 102-71-6
, reactions 111-42-2, Diethanolamine, reactions 115-69-5
, 2-Amino-2-methyl-1,3-propanediol 122-20-3, Triisopropanolamine
124-68-5, 2-Amino-2-methyl-propanol 141-43-5, reactions
1310-58-3, Potassium hydroxide, reactions 1310-73-2,
Sodium hydroxide, reactions
RL: BIOL (Biological study)
 (in neutralization of film-forming polymers, for hair wave-setting prepns.)

RN 77-86-1 HCAPLUS

CN 1,3-Propanediol, 2-amino-2-(hydroxymethyl)- (8CI, 9CI) (CA INDEX NAME)

$$^{\rm NH_2}_{\rm HO-CH_2-C-CH_2-OH}_{\rm CH_2-OH}$$

RN 102-71-6 HCAPLUS

CN Ethanol, 2,2',2''-nitrilotris- (9CI) (CA INDEX NAME)

$$\begin{array}{c} \text{CH}_2-\text{CH}_2-\text{OH} \\ | \\ \text{HO-CH}_2-\text{CH}_2-\text{N-CH}_2-\text{CH}_2-\text{OH} \end{array}$$

RN 111-42-2 HCAPLUS

CN Ethanol, 2,2'-iminobis- (9CI) (CA INDEX NAME)

HO-CH2-CH2-NH-CH2-CH2-OH

RN 115-69-5 HCAPLUS

CN 1,3-Propanediol, 2-amino-2-methyl- (6CI, 7CI, 8CI, 9CI) (CA INDEX NAME)

$$\begin{array}{c} & \text{Me} \\ | \\ \text{HO-} \, \text{CH}_2 - \, \text{C--} \, \text{CH}_2 - \, \text{OH} \\ | \\ \text{NH}_2 \end{array}$$

RN 122-20-3 HCAPLUS

CN 2-Propanol, 1,1',1''-nitrilotris-'(9CI) (CA INDEX NAME)

OH 
$$|$$
 OH  $|$  OH

RN 124-68-5 HCAPLUS

CN 1-Propanol, 2-amino-2-methyl- (8CI, 9CI) (CA INDEX NAME)

RN 141-43-5 HCAPLUS

CN Ethanol, 2-amino- (8CI, 9CI) (CA INDEX NAME)

H2N-CH2-CH2-OH

RN 1310-58-3 HCAPLUS

CN Potassium hydroxide (K(OH)) (9CI) (CA INDEX NAME)

к-он

RN 1310-73-2 HCAPLUS

CN Sodium hydroxide (Na(OH)) (9CI) (CA INDEX NAME)

Na-OH

L8 ANSWER 7 OF 13 HCAPLUS COPYRIGHT 2001 ACS 1994:307083 HCAPLUS ACCESSION NUMBER:

DOCUMENT NUMBER:

120:307083

TITLE:

Melanotic hydrosoluble polymer colorant of indole compounds, its preparation, and coloring cosmetic

compositions containing it

INVENTOR(S):

Mondet, Jean; Langla, Bernard; Andrean,

Herve; Lagrange, Alain

PATENT ASSIGNEE(S):

Oreal S. A., Fr. Fr. Demande, 32 pp.

SOURCE:

CODEN: FRXXBL

DOCUMENT TYPE:

Patent

LANGUAGE:

French

FAMILY ACC. NUM. COUNT:

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
FR 2695033	A1	19940304	FR 1992-10264	19920825
FR 2695033	B1	19941125		

OTHER SOURCE(S):

MARPAT 120:307083

The title polymer colorant is obtained by oxidizing an indole or indolinic compd. in an aq. milieu in the presence of a hydrosol. anionic, cationic, amphoteric, or nonionic polymer and sepn. of the resulting colorant polymer by filtration and pptn. or by filtration and lyophilization. polymer is useful in cosmetic makeup or in coloring hair or skin. Sol. poly-.beta.-alanine was prepd. and used with H2O2 in the prepn. of a black hydrosol. polymer of 5,6-dihydroxyindole. A mascara gel and a hair coloring lotion were prepd. which contained the polymer colorant.

7758-98-7, Copper sulfate, uses 8061-51-6, Sodium ΙT lignosulfonate 9004-62-0, Cellosize WPO.9H 9004-64-2, Klucel J

RL: BIOL (Biological study)

(in prepn. of melanotic hydrosol. polymer colorants from dihydroxyindole, for hair coloring or cosmetics)

RN 7758-98-7 HCAPLUS

Sulfuric acid copper(2+) salt (1:1) (8CI, 9CI) (CA INDEX NAME) CN

Cu(II)

RN 8061-51-6 HCAPLUS

CN Lignosulfonic acid, sodium salt (9CI) (CA INDEX NAME)

\*\*\* STRUCTURE DIAGRAM IS NOT AVAILABLE \*\*\*

9004-62-0 HCAPLUS

CN Cellulose, 2-hydroxyethyl ether (8CI, 9CI) (CA INDEX NAME)

CM1

```
CRN
         9004-34-6
         Unspecified
    CMF
    CCI
         PMS, MAN
*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***
         2
    CM
    CRN 107-21-1
     CMF C2 H6 O2
но-сн2-сн2-он
     9004-64-2 HCAPLUS
RN
    Cellulose, 2-hydroxypropyl ether (9CI) (CA INDEX NAME)
CN
     CM
          1
     CRN 9004-34-6
     CMF Unspecified
     CCI PMS, MAN
*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***
          2
     CM
     CRN 57-55-6
     CMF C3 H8 O2
    OH
H_3C-CH-CH_2-OH
     7553-56-2D, Iodine, compds. 7664-41-7, Ammonia, uses
ΙT
     7722-84-1, Hydrogen peroxide, uses 9003-01-4,
     Polyacrylic acid 9003-05-8, Polyacrylamide 9003-39-8,
     Polyvinylpyrrolidone 9004-32-4, Sodium
     carboxymethylcellulose 9004-54-0, Dextran, uses
     9005-25-8, Starch, uses 12027-06-4, Ammonium iodide
     24937-14-2, Poly-.beta.-alanine 25513-34-2,
     Poly-.beta.-alanine 26062-79-3, Polydiallyl dimethylammonium
     chloride 86348-08-5 147398-77-4
     RL: BIOL (Biological study)
        (in prepn. of melanotic hydrosol. polymer colorants from indole or
        indolinic compds., for hair coloring or cosmetics)
     7553-56-2 HCAPLUS
RN
     Iodine (8CI, 9CI) (CA INDEX NAME)
CN
I-I
     7664-41-7 HCAPLUS
RN
     Ammonia (8CI, 9CI) (CA INDEX NAME)
CN
```

```
NH3
    7722-84-1 HCAPLUS
RN
    Hydrogen peroxide (H2O2) (9CI) (CA INDEX NAME)
но-он
    9003-01-4 HCAPLUS
RN
CN
    2-Propenoic acid, homopolymer (9CI) (CA INDEX NAME)
    CRN 79-10-7
    CMF C3 H4 O2
   0
HO-C-CH=CH2
    9003-05-8 HCAPLUS
RN
CN
    2-Propenamide, homopolymer (9CI) (CA INDEX NAME)
    CM
    CRN 79-06-1
    CMF C3 H5 N O
    0
H_2N-C-CH=CH_2
RN
    9003-39-8 HCAPLUS
    2-Pyrrolidinone, 1-ethenyl-, homopolymer (9CI) (CA INDEX NAME)
CN
    CM
    CRN 88-12-0
    CMF C6 H9 N O
 сн== сн2
    9004-32-4 HCAPLUS
RN
    Cellulose, carboxymethyl ether, sodium salt (8CI, 9CI) (CA INDEX NAME)
CN
```

1

```
CRN 9004-34-6
    CMF Unspecified
    CCI PMS, MAN
*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***
    CM
    CRN 79-14-1
    CMF C2 H4 O3
   0
HO-C-CH2-OH
    9004-54-0 HCAPLUS
RN
CN
    Dextran (9CI) (CA INDEX NAME)
*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***
    9005-25-8 HCAPLUS
RN
CN
    Starch (8CI, 9CI) (CA INDEX NAME)
*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***
    12027-06-4 HCAPLUS
RN
    Ammonium iodide ((NH4)I) (9CI) (CA INDEX NAME)
CN
I-NH_4
    24937-14-2 HCAPLUS
RN
    Poly[imino(1-oxo-1,3-propanediyl)] (9CI) (CA INDEX NAME)
CN
           0
        NH-C-CH2-CH2-
RN
    25513-34-2 HCAPLUS
    .beta.-Alanine, homopolymer (9CI) (CA INDEX NAME)
CN
    CM
         1
    CRN 107-95-9
    CMF C3 H7 N O2
H_2N-CH_2-CH_2-CO_2H
RN
     26062-79-3 HCAPLUS
    2-Propen-1-aminium, N, N-dimethyl-N-2-propenyl-, chloride, homopolymer
```

(9CI) (CA INDEX NAME)

CM 1

CRN 7398-69-8 CMF C8 H16 N . Cl

$$H_2C \stackrel{\text{Me}}{=} CH - CH_2 - N \stackrel{+}{\longrightarrow} CH_2 - CH \stackrel{=}{\Longrightarrow} CH_2$$

Me

● C1-

RN 86348-08-5 HCAPLUS

CN 2-Propenamide, N,N'-methylenebis-, polymer with 2,2-dimethyl-1,3-propanediamine (9CI) (CA INDEX NAME)

CM 1

CRN 7328-91-8 CMF C5 H14 N2

$$\begin{array}{c} \text{Me} \\ \mid \\ \text{H}_2\text{N}-\text{CH}_2-\text{C}-\text{CH}_2-\text{NH}_2 \\ \mid \\ \text{Me} \end{array}$$

CM 2

CRN 110-26-9 CMF C7 H10 N2 O2

RN 147398-77-4 HCAPLUS

CN Ethanaminium, N-(carboxymethyl)-N, N-dimethyl-2-[(2-methyl-1-oxo-2-propenyl)oxy]-, inner salt, polymer with methyl 2-methyl-2-propenoate (9CI) (CA INDEX NAME)

CM 1

CRN 62723-61-9 CMF C10 H17 N O4

CRN 80-62-6 CMF C5 H8 O2

RN 496-15-1 HCAPLUS CN 1H-Indole, 2,3-dihydro- (9CI) (CA INDEX NAME)

RN 3131-52-0 HCAPLUS CN 1H-Indole-5,6-diol (9CI) (CA INDEX NAME)

4813-45-0 HCAPLUS RN

CN 1H-Indole-5, 6-diol, 3-methyl- (9CI) (CA INDEX NAME)

RN 138937-28-7 HCAPLUS

1H-Indole-5, 6-diol, 2, 3-dihydro-, hydrobromide (9CI) (CA INDEX NAME) CN

## HBr

ANSWER 8 OF 13 HCAPLUS COPYRIGHT 2001 ACS

ACCESSION NUMBER:

1993:197806 HCAPLUS

DOCUMENT NUMBER:

118:197806

TITLE:

Oily cosmetic composition containing, as a thickener,

an association of two hydrophilic-lipophilic

copolymers.

INVENTOR(S):

Mondet, Jean; Lion, Bertrand; Candau,

Didier; Simon, Pascal

PATENT ASSIGNEE(S):

SOURCE:

Oreal S. A., Fr. PCT Int. Appl., 37 pp.

CODEN: PIXXD2

DOCUMENT TYPE:

LANGUAGE:

Patent French

FAMILY ACC. NUM. COUNT:

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9301797	 Δ1	19930204	WO 1992-FR734	19920724
W: CA,		19930201	WO 1992 1W, 01	19920721
RW: AT,	BE, CH, DE,	DK, ES, F	R, GB, GR, IT, LU, MC	, NL, SE
FR 2679444	A1	19930129	FR 1991-9438	19910725
FR 2679444	B1	19950407		
EP 550745	A1	19930714	EP 1992-917233	19920724
EP 550745	B1	19950920	•	¢.
			R, GB, GR, IT, LI, NL	
			JP 1993-502655	
AT 128026	E	19951015	AT 1992-917233	19920724
			ES 1992-917233	
US 5519063	Α	19960521	US 1993-30197	19930510
PRIORITY APPLN. I	NFO.:		FR 1991-9438	19910725
			WO 1992-FR734	19920724
AR A cosmetic c	ompn comp	rises as oi	1 thickener a 1st con-	olymer derived fr

A cosmetic compn. comprises as oil thickener a 1st copolymer derived from

.gtoreq.1 lipophilic monomer and .gtoreq.1 hydrophilic monomer which contains .gtoreq.l carboxylic acid or sulfonic groups; and 2nd copolymer derived from .gtoreq.1 lipophilic monomer and .gtoreq.1 hydrophilic monomer which contains .gtoreq.1 amide, amine, alc. or ether groups. The 1st and 2nd copolymer have a mol. wt. of .ltoreq.100,000. A sunscreen compn. contained lauryl acrylate-methacrylic acid copolymer 1.25, dimethylaminoethyl methacrylate-stearyl methacrylate copolymer 1.25, 3',5'-ditertiobutyl-4'-hydroxy-3 benzylidenecamphor 1.5, and Finsolv TN q.s. 100g.

IT **26316-49-4P 27401-06-5P**, Methacrylic acid-stearyl methacrylate copolymer 27756-15-6P 30325-22-5P 54243-92-4P 65291-67-0P 82682-24-4P 88483-25-4P 100339-20-6P 147073-32-3P

147073-33-4P 147073-34-5P 147073-35-6P

147073-36-7P 147073-37-8P

RL: PREP (Preparation)

(prepn. of, as thickener for cosmetics)

RN 26316-49-4 HCAPLUS

CN 2-Propenoic acid, 2-methyl-, 2-(dimethylamino)ethyl ester, polymer with octadecyl 2-methyl-2-propenoate (9CI) (CA INDEX NAME)

CM 1

CRN 32360-05-7 CMF C22 H42 O2

CM 2

CRN 2867-47-2 CMF C8 H15 N O2

$$\begin{array}{c|c} & \text{O} & \text{CH}_2 \\ \parallel & \parallel \\ \text{Me}_2 \text{N-CH}_2 \text{--} \text{CH}_2 \text{--} \text{O-C-C-Me} \end{array}$$

RN 27401-06-5 HCAPLUS

2-Propenoic acid, 2-methyl-, polymer with octadecyl 2-methyl-2-propenoate CN (9CI) (CA INDEX NAME)

CM

CRN 32360-05-7 CMF C22 H42 O2

CRN 79-41-4 CMF C4 H6 O2

RN 27756-15-6 HCAPLUS

CN 2-Propenoic acid, 2-methyl-, octadecyl ester, polymer with 2-propenoic acid (9CI) (CA INDEX NAME)

CM 1

CRN 32360-05-7 CMF C22 H42 O2

$$$^{\rm O}_{\rm CH_2}$$$
 Me $^-$  (CH2) 17  $^-$  O  $^-$  C  $^-$  C Me

CM 2

CRN 79-10-7 CMF C3 H4 O2

RN 30325-22-5 HCAPLUS

CN 2-Propenoic acid, 2-methyl-, octadecyl ester, polymer with 1-ethenyl-2-pyrrolidinone (9CI) (CA INDEX NAME)

CM 1

CRN 32360-05-7 CMF C22 H42 O2

$$$^{\rm O}$$$
 CH2  $$^{\rm H}$$  Me- (CH2)17-O-C-C-Me

CM 2

CRN 88-12-0 CMF C6 H9 N O

RN 54243-92-4 HCAPLUS

CN 2-Propenoic acid, 2-methyl-, polymer with dodecyl 2-propenoate (9CI) (CA INDEX NAME)

CM 1

CRN 2156-97-0 CMF C15 H28 O2

CM 2

CRN 79-41-4 CMF C4 H6 O2

$$\begin{array}{c} \text{CH}_2 \\ || \\ \text{Me-C-CO}_2 \text{H} \end{array}$$

RN 65291-67-0 HCAPLUS

CN 2-Propenoic acid, 2-methyl-, octadecyl ester, polymer with 2-propenamide (9CI) (CA INDEX NAME)

CM 1

CRN 32360-05-7 CMF C22 H42 O2

CM 2

CRN 79-06-1 CMF C3 H5 N O

$$^{\circ}_{||}_{\text{H}_{2}\text{N}-\text{C}-\text{CH}}=\text{CH}_{2}$$

RN 82682-24-4 HCAPLUS

CN 2-Propenoic acid, 2-methyl-, octadecyl ester, polymer with 2-(diethylamino)ethyl 2-propenoate (9CI) (CA INDEX NAME)

CM 1

CRN 32360-05-7 CMF C22 H42 O2

$$$^{\circ}$$$
 O CH2  $$^{\circ}$$  Me $^{-}$  (CH2) 17  $^{-}$  O C C C Me

CM 2

CRN 2426-54-2 CMF C9 H17 N O2

$$\begin{array}{c|c}
 & O \\
 & || \\
 & Et_2N-CH_2-CH_2-O-C-CH-CH_2-CH_2
\end{array}$$

RN 88483-25-4 HCAPLUS

CN 2-Propenoic acid, 2-methyl-, 2-(dimethylamino)ethyl ester, polymer with 2-ethylhexyl 2-methyl-2-propenoate (9CI) (CA INDEX NAME)

CM 1

CRN 2867-47-2 CMF C8 H15 N O2

$$\begin{array}{c} \text{O} \quad \text{CH}_2 \\ \parallel \quad \parallel \\ \text{Me}_2 \text{N-CH}_2 \text{--CH}_2 \text{--O-C-C-Me} \end{array}$$

CM 2

CRN 688-84-6 CMF C12 H22 O2

RN 100339-20-6 HCAPLUS

CN 2-Propenoic acid, 2-methyl-, octadecyl ester, polymer with dihydro-3-methylene-2,5-furandione (9CI) (CA INDEX NAME)

CRN 32360-05-7 CMF C22 H42 O2

$$\begin{array}{c|c} & \text{O} & \text{CH}_2 \\ & \parallel & \parallel \\ \text{Me-} & (\text{CH}_2)_{17} - \text{O-} \text{C-} \text{C--} \text{Me} \end{array}$$

CM 2

CRN 2170-03-8 CMF C5 H4 O3

RN 147073-32-3 HCAPLUS

CN 2-Propenoic acid, 2-methyl-, 2-(dimethylamino)ethyl ester, polymer with N-dodecyl-2-propenamide (9CI) (CA INDEX NAME)

CM 1

CRN 2867-47-2 CMF C8 H15 N O2

$$\begin{array}{c|c} & \text{O} & \text{CH}_2 \\ \parallel & \parallel \\ \text{Me}_2\text{N}-\text{CH}_2-\text{CH}_2-\text{O}-\text{C}-\text{C}-\text{Me} \end{array}$$

CM 2

CRN 1506-53-2 CMF C15 H29 N O

$$Me^{-(CH_2)}_{11}-NH^{-C-CH}=CH_2$$

RN 147073-33-4 HCAPLUS

CN 2-Propenoic acid, 2-methyl-, 2-(dimethylamino)ethyl ester, polymer with N-(1,1-dimethylethyl)-2-propenamide (9CI) (CA INDEX NAME)

CM 1

CRN 2867-47-2

CMF C8 H15 N O2

$$\begin{array}{c|c} & \text{O} & \text{CH}_2 \\ \parallel & \parallel \\ \text{Me}_2\text{N}-\text{CH}_2-\text{CH}_2-\text{O}-\text{C}-\text{C}-\text{Me} \end{array}$$

CM 2

CRN 107-58-4 CMF C7 H13 N O

RN 147073-34-5 HCAPLUS

CN 2-Propenoic acid, 2-methyl-, 2-(dimethylamino)ethyl ester, polymer with N-(1,1,3,3-tetramethylbutyl)-2-propenamide (9CI) (CA INDEX NAME)

CM 1

CRN 4223-03-4 CMF C11 H21 N O

$$\begin{array}{c} \text{O} \\ || \\ \text{NH-C-CH} \end{array}$$
 
$$\text{CH}_2$$
 
$$\text{Me-C-CH}_2 - \text{CMe}_3$$
 
$$\text{Me}$$

CM 2

CRN 2867-47-2 CMF C8 H15·N O2

$$\begin{array}{c|c} & \text{O} & \text{CH}_2 \\ & || & || \\ \text{Me}_2 \text{N} - \text{CH}_2 - \text{CH}_2 - \text{O} - \text{C} - \text{C} - \text{Me} \end{array}$$

RN 147073-35-6 HCAPLUS

CN 2-Propenoic acid, 2-methyl-, octadecyl ester, polymer with N-(1,1-dimethyl-3-oxobutyl)-2-propenamide (9CI) (CA INDEX NAME)

CM 1

CRN 32360-05-7 CMF C22 H42 O2

$$\begin{array}{c|c} & \text{O} & \text{CH}_2 \\ \parallel & \parallel \\ \text{Me- (CH}_2)_{17} - \text{O-C-C-Me} \end{array}$$

CRN 2873-97-4 CMF C9 H15 N O2

$$\begin{array}{c} \text{O} \\ || \\ \text{H}_2\text{C} = \text{CH} - \text{C} - \text{NH} & \text{O} \\ | & || \\ \text{Me} - \text{C} - \text{CH}_2 - \text{C} - \text{Me} \\ | & \\ \text{Me} \end{array}$$

RN 147073-36-7 HCAPLUS

CN Octadecanoic acid, ethenyl ester, polymer with 2-butenoic acid (9CI) (CA INDEX NAME)

CM 1

CRN 3724-65-0 CMF C4 H6 O2

CM 2

CRN 111-63-7 CMF C20 H38 O2

$$^{\circ}_{\parallel}$$
 $_{^{\circ}}$ 
 $_{^$ 

RN 147073-37-8 HCAPLUS

CN 2-Propenoic acid, 2-methyl-, polymer with dodecyl 2-propenoate and octadecyl 2-methyl-2-propenoate (9CI) (CA INDEX NAME)

CM 1

CRN 32360-05-7 CMF C22 H42 O2

$$\begin{array}{c|c} & \text{O} & \text{CH}_2 \\ \parallel & \parallel \\ \text{Me- (CH}_2)_{17} - \text{O- C- C- Me} \end{array}$$

CRN 2156-97-0 CMF C15 H28 O2

CM 3

CRN 79-41-4 CMF C4 H6 O2

$$\begin{array}{c} \text{CH}_2 \\ || \\ \text{Me-C-CO}_2 \text{H} \end{array}$$

L8 ANSWER 9 OF 13 HCAPLUS COPYRIGHT 2001 ACS

ACCESSION NUMBER: 1993:39609 HCAPLUS

DOCUMENT NUMBER: 118:39609

Copolymers based on N-alkylacrylamides, their TITLE:

preparation, and their use as thickeners in shampoo

compositions

Mondet, Jean; Lion, Bertrand INVENTOR(S):

Oreal S. A., Fr. PATENT ASSIGNEE(S):

Eur. Pat. Appl., 11 pp. SOURCE:

CODEN: EPXXDW

DOCUMENT TYPE: Patent LANGUAGE: French

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
EP 494022	A1	19920708	EP 1991-403559	19911227
EP 494022	B1	19971008	•	
R: AT, 1	BE, CH, DE,	DK, ES, FR,	, GB, GR, IT, LI, NL,	, SE
FR 2671088	A1	19920703	FR 1990-16307	19901227
FR 2671088	B1	19940415		
CA 2058543	AA	19920628	CA 1991-2058543	19911224
JP 05093018	A2	19930416	JP 1991-344493	19911226
AT 159036	E	19971015	AT 1991-403559	19911227
ES 2109261	Т3	19980116	ES 1991-403559	19911227
US 5324765	Α	19940628	·US 1993-56774	19930504
PRIORITY APPLN. II	NFO.:		FR 1990-16307	19901227
			US 1991-813388	19911227

AB Polymers for the title use are prepd. by polymn. of mixts. contg. .gtoreq.30% unsatd. carboxylic acid(s), .gtoreq.30% N-C8-30-alkylacrylamide(s), and 0-40% unsatd. hydrophilic monomers, with the polymers being neutralizable to salts. An aq. soln. of acrylamide-acrylic acid-N-dodecylacrylamide copolymer 2-amino-2-methylpropanol salt contg. ethoxylated sodium lauryl sulfate and NaCl had viscosity 3.00 Pa-s and good gel texture.

IT 1506-53-2P, N-Dodecylacrylamide 10124-68-2P,
 N-Octylacrylamide
 RL: RCT (Reactant); PREP (Preparation)

(prepn. and polymn. of)

RN 1506-53-2 HCAPLUS

CN 2-Propenamide, N-dodecyl- (9CI) (CA INDEX NAME)

$$Me^{-(CH_2)}_{11}-NH^{-C-CH}=CH_2$$

RN 10124-68-2 HCAPLUS

CN 2-Propenamide, N-octyl- (9CI) (CA INDEX NAME)

IT 145289-04-9P, Acrylamide-acrylic acid-N-dodecylacrylamide copolymer 2-amino-2-methylpropanol salt 145289-05-0P, Acrylamide-acrylic acid-N-octylacrylamide copolymer 2-amino-2-methylpropanol salt 145289-06-1P, Acrylamide-acrylic acid-N-dodecylacrylamide-methacrylic acid copolymer 2-amino-2-methylpropanol salt 145289-07-2P, Acrylic acid-N-dodecylacrylamide copolymer 2-amino-2-methylpropanol salt RL: PREP (Preparation)

(prepn. of, as thickening agents for shampoos)

RN 145289-04-9 HCAPLUS

CN 2-Propenoic acid, polymer with N-dodecyl-2-propenamide and 2-propenamide, compd. with 2-amino-2-methyl-1-propanol (9CI) (CA INDEX NAME)

CM 1

CRN 124-68-5 CMF C4 H11 N O

CM 2

CRN 145289-01-6 CMF (C15 H29 N O . C3 H5 N O . C3 H4 O2)× CCI PMS

CM 3

CRN 1506-53-2 CMF C15 H29 N O

$$Me^{-(CH_2)}_{11}-NH-C-CH=CH_2$$

CM 4

CRN 79-10-7 CMF C3 H4 O2

CM 5

CRN 79-06-1 CMF C3 H5 N O

RN 145289-05-0 HCAPLUS

CN 2-Propenoic acid, polymer with N-octyl-2-propenamide and 2-propenamide, compd. with 2-amino-2-methyl-1-propanol (9CI) (CA INDEX NAME)

CM 1

CRN 124-68-5 CMF C4 H11 N O

CM 2

CRN 145289-02-7

CMF (C11 H21 N O . C3 H5 N O . C3 H4 O2)  $\times$ 

CCI PMS

CRN 10124-68-2 CMF C11 H21 N O

$$\begin{array}{c} \text{O} \\ \parallel \\ \text{Me- (CH}_2)_7 - \text{NH-C-CH} \end{array}$$

CM 4

CRN 79-10-7 CMF C3 H4 O2

CM 5

CRN 79-06-1 CMF C3 H5 N O

$$_{\rm H_2N-C-CH}^{\rm O}$$

RN 145289-06-1 HCAPLUS

CN 2-Propenoic acid, 2-methyl-, polymer with N-dodecyl-2-propenamide, 2-propenamide and 2-propenoic acid, compd. with 2-amino-2-methyl-1-propanol (9CI) (CA INDEX NAME)

CM 1

CRN 124-68-5 CMF C4 H11 N O

CM 2

CRN 145289-03-8

CMF (C15 H29 N O . C4 H6 O2 . C3 H5 N O . C3 H4 O2)  $\times$ 

CCI PMS

CRN 1506-53-2 CMF C15 H29 N O

$$\begin{array}{c} \text{O} \\ \parallel \\ \text{Me- (CH}_2)_{\,11} - \text{NH- C- CH- CH- CH} \end{array}$$

CM 4

CRN 79-41-4 CMF C4 H6 O2

$$\begin{array}{c} \text{CH}_2 \\ || \\ \text{Me-C-CO}_2\text{H} \end{array}$$

CM 5

CRN 79-10-7 CMF C3 H4 O2

$$\stackrel{\text{O}}{\parallel}_{\text{HO-C-CH-CH}}$$

CM 6

CRN 79-06-1 CMF C3 H5 N O

RN 145289-07-2 HCAPLUS

CN 2-Propenoic acid, polymer with N-dodecyl-2-propenamide, compd. with 2-amino-2-methyl-1-propanol (9CI) (CA INDEX NAME)

CM 1

CRN 124-68-5 CMF C4 H11 N O

CRN 127864-80-6

(C15 H29 N O . C3 H4 O2) $\times$ CMF

CCI PMS

> CM 3

CRN 1506-53-2 CMF C15 H29 N O

$$\begin{array}{c} \text{O} \\ \parallel \\ \text{Me-} \text{(CH}_2)_{11} - \text{NH-C-CH} \end{array} \text{CH}_2$$

CM

CRN 79-10-7 C3 H4 O2 CMF

127864-80-6P, Acrylic acid-N-dodecylacrylamide copolymer 145289-01-6P, Acrylamide-acrylic acid-N-dodecylacrylamide IT copolymer 145289-02-7P, Acrylamide-acrylic acid-Noctylacrylamide copolymer 145289-03-8P, Acrylamide-acrylic

acid-N-dodecylacrylamide-methacrylic acid copolymer

RL: PREP (Preparation)

(prepn. of, for thickening agents for shampoos)

RN 127864-80-6 HCAPLUS

2-Propenoic acid, polymer with N-dodecyl-2-propenamide (9CI) (CA INDEX CN NAME)

CM 1

CRN 1506-53-2 CMF C15 H29 N O

$$Me^{-(CH_2)}_{11}-NH^{-C-CH} = CH_2$$

CRN 79-10-7 CMF C3 H4 O2

RN 145289-01-6 HCAPLUS

CN 2-Propenoic acid, polymer with N-dodecyl-2-propenamide and 2-propenamide (9CI) (CA INDEX NAME)

CM 1

CRN 1506-53-2 CMF C15 H29 N O

$$\begin{array}{c} & \circ \\ \parallel \\ \text{Me-(CH2)}_{11} - \text{NH-C-CH} = \text{CH}_2 \end{array}$$

CM 2

CRN 79-10-7 CMF C3 H4 O2

CM 3

CRN 79-06-1 CMF C3 H5 N O

RN 145289-02-7 HCAPLUS

CN 2-Propenoic acid, polymer with N-octyl-2-propenamide and 2-propenamide (9CI) (CA INDEX NAME)

CM 1

CRN 10124-68-2 CMF C11 H21 N O

$$\begin{array}{c} & \text{O} \\ \parallel \\ \text{Me- (CH}_2)_{\,7} - \text{NH- C- CH} = \text{CH}_2 \end{array}$$

CRN 79-10-7 CMF C3 H4 O2

CM 3

CRN 79-06-1 CMF C3 H5 N O

RN 145289-03-8 HCAPLUS
CN 2-Propenoic acid, 2-methyl-, polymer with N-dodecyl-2-propenamide, 2-propenamide and 2-propenoic acid (9CI) (CA INDEX NAME)

CM

CRN 1506-53-2 CMF C15 H29 N O

$$Me^{-(CH_2)}_{11}-NH^{-C-CH} = CH_2$$

2 CM

CRN 79-41-4 CMF C4 H6 O2

CM 3

CRN 79-06-1 CMF C3 H5 N O

IT 814-68-6, Acryloyl chloride

RL: RCT (Reactant)

(reaction of, with alkylamines)

RN 814-68-6 HCAPLUS

2-Propenoyl chloride (9CI) (CA INDEX NAME) CN

ANSWER 10 OF 13 HCAPLUS COPYRIGHT 2001 ACS

ACCESSION NUMBER:

1988:427612 HCAPLUS

DOCUMENT NUMBER:

109:27612

TITLE:

Thickening agent containing anionic carboxy

polymers and cellulose grafted with quaternary ammonium salts for pharmaceuticals and cosmetics Gollier, Jean Francois; Dubief, Claude; Mondet,

INVENTOR(S):

Jean

PATENT ASSIGNEE(S):

SOURCE:

Oreal S. A., Fr. Ger. Offen., 12 pp.

CODEN: GWXXBX

DOCUMENT TYPE:

Patent German

LANGUAGE:

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
DE 3716381	A1	19871119	DE 1987-3716381	19870515
DE 3716381 CA 1299301	C2 A1	19990121 19920421	CA 1987-536115	19870430
DK 8702440	Α	19871117	DK 1987-2440	19870513
FR 2598611	A1	19871120	FR 1987-6804	19870514
FR 2598611	B1	19880923		
ES 2005574	A6	19890316	ES 1987-1443	19870514
CH 672793	Α	19891229	СН 1987-1863	19870514

	SE 8702007	Α	19871117	SE	1987-2007	19870515		
	SE 465351	В	19910902					
	SE 465351	С	19920102					
	JP 62277311	A2	19871202	JP	1987-118706	19870515		
	JP 08009528	B4	19960131					
	NL 8701174	Α	19871216	NL	1987-1174	19870515		
	GB 2193501	A1	19880210	GB	1987-11581	19870515		
	GB 2193501	B2	19900523					
	BE 1000398	A3	19881122	BE	1987-541	19870515		
	US 4839166	Α	19890613	US	1987-49785	19870515		
PRIC	RITY APPLN. INFO.:			LU 198	36-86429	19860516		
AB	The title compds.	are	useful as thi	ckene	rs for pharmac	eutical formulations		
						lymer consisting of		
	cellulose or cell							
	quaternary ammoni							
						10-3 Pas in DMF or		
	MeOH at 30.degree	and	l 5% concn.; a	- 18 a∢	g. soln. of th	thickening agent		
	MeOH at 30.degree. and 5% concn.; a 1% aq. soln. of th thickening agent has an Epprecht-Drage viscosity of >0.45 Pas at Module 3 at 21.degree							
	An aq. qel was pr							
						elquat L 200) with a		
						acid-Me methacrylate		
						ntained Anthralin		
						te copolymer (50:50)		
						to adjust to pH 7,		
						viscosity of 1.2		
						n. was applied to		
	the skin and did					• •		
ΙT	33611-56-2D, graf							
	44899-48-1D, graf							
	92183-41-0, Celqu							
	polymers with qua							
	cellulose, graft							
	RL: BIOL (Biologi			•	-			
	(thickening ag			carbo	oxy polymers a	nd, for		
	pharmaceutical				<b>4</b> 1 1	•		
RN	33611-56-2 HCAPL							

CN Ethanaminium, N,N,N-trimethyl-2-[(2-methyl-1-oxo-2-propenyl)oxy]- (9CI) (CA INDEX NAME)

RN 44899-48-1 HCAPLUS CN Hydrazinium, 1,1,1-trimethyl-2-(2-methyl-1-oxo-2-propenyl)- (9CI) (CA INDEX NAME)

$$\begin{array}{c|c} & \text{O} & \text{CH}_2 \\ || & || \\ \text{Me}_3 + \text{N} - \text{NH} - \text{C} - \text{C} - \text{Me} \end{array}$$

RN 92183-41-0 HCAPLUS
CN Cellulose, 2-hydroxyethyl ether, polymer with N,N-dimethyl-N-2-propenyl-2-propen-1-aminium chloride (9CI) (CA INDEX NAME)

CM 1

CRN 7398-69-8 CMF C8 H16 N . C1

$$\begin{array}{c} \text{Me} \\ \mid \\ \mid \\ \downarrow \\ \text{H}_2\text{C} = \text{CH} - \text{CH}_2 - \text{N} \xrightarrow{+} \text{CH}_2 - \text{CH} = \text{CH}_2 \\ \mid \\ \text{Me} \end{array}$$

● 'C1 =

CM 2

CRN 9004-62-0

CMF  $\,$  C2 H6 O2 . x Unspecified

CDES 8:GD

CM 3

CRN 9004-34-6

CMF Unspecified

CCI PMS, MAN

\*\*\* STRUCTURE DIAGRAM IS NOT AVAILABLE \*\*\*

CM 4

CRN 107-21-1

CMF C2 H6 O2

 $HO-CH_2-CH_2-OH$ 

RN 9004-34-6 HCAPLUS

CN Cellulose (8CI, 9CI) (CA INDEX NAME)

\*\*\* STRUCTURE DIAGRAM IS NOT AVAILABLE \*\*\*

RN 9004-62-0 HCAPLUS

CN Cellulose, 2-hydroxyethyl ether (8CI, 9CI) (CA INDEX NAME)

CM 1

CRN 9004-34-6

CMF Unspecified

CCI PMS, MAN

\*\*\* STRUCTURE DIAGRAM IS NOT AVAILABLE \*\*\*

CM 2

CRN 107-21-1

CMF C2 H6 O2

 ${\rm HO-CH_2-CH_2-OH}$ 

25085-79-4, Ethylene-maleic acid copolymer 25086-15-1, Methacrylic acid-methyl methacrylate copolymer 25087-26-7, Poly(methacrylic acid) 26284-14-0, Methacrylic acid-butyl methacrylate copolymer 26589-39-9, Methacrylic acid-methyl acrylate copolymer 30326-74-0, Methacrylic acid-Nvinylpyrrolidone copolymer 34324-82-8, Methacrylic acid-maleic acid copolymer 77431-37-9 114955-50-9 114955-51-0 114956-77-3 RL: BIOL (Biological study) (thickening agent contg. cellulose grafted with quaternary ammonium salts and, for pharmaceuticals and cosmetics) RN 25085-79-4 HCAPLUS CN 2-Butenedioic acid (22)-, polymer with ethene (9CI) (CA INDEX NAME) CM CRN 110-16-7 CMF C4 H4 O4

Double bond geometry as shown.

CDES 2:Z

CM 2

CRN 74-85-1 CMF C2 H4

 $H_2C \longrightarrow CH_2$ 

CM 1

CRN 80-62-6 CMF C5 H8 O2

CM 2

CRN 79-41-4 CMF C4 H6 O2

RN 25087-26-7 HCAPLUS

CN 2-Propenoic acid, 2-methyl-, homopolymer (9CI) (CA INDEX NAME)

CM 1

CRN 79-41-4 CMF C4 H6 O2

RN 26284-14-0 HCAPLUS

CN 2-Propenoic acid, 2-methyl-, polymer with butyl 2-methyl-2-propenoate (9CI) (CA INDEX NAME)

CM 1

CRN 97-88-1 CMF C8 H14 O2

$$\begin{array}{c|c} \text{O} & \text{CH}_2 \\ \parallel & \parallel \\ \text{n-BuO-C-C-Me} \end{array}$$

CM 2

CRN 79-41-4 CMF C4 H6 O2

RN 26589-39-9 HCAPLUS

CN 2-Propenoic acid, 2-methyl-, polymer with methyl 2-propenoate (9CI) (CA INDEX NAME)

CM 1

CRN 96-33-3 CMF C4 H6 O2

CRN 79-41-4 CMF C4 H6 O2

RN 30326-74-0 HCAPLUS

CN 2-Propenoic acid, 2-methyl-, polymer with 1-ethenyl-2-pyrrolidinone (9CI) (CA INDEX NAME)

CM 1

CRN 88-12-0 CMF C6 H9 N O

CM 2

CRN 79-41-4 CMF C4 H6 O2

$$\begin{array}{c} \text{CH}_2 \\ \parallel \\ \text{Me-C-CO}_2\text{H} \end{array}$$

RN 34324-82-8 HCAPLUS

CN 2-Butenedioic acid (2Z)-, polymer with 2-methyl-2-propenoic acid (9CI) (CA INDEX NAME)

CM 1

CRN 110-16-7

CMF C4 H4 O4

CDES 2:Z

Double bond geometry as shown.

CRN · 79-41-4 CMF C4 H6 O2

RN 77431-37-9 HCAPLUS

CN 2-Propenoic acid, 2-methyl-, polymer with N-(1,1-dimethyl-3-oxobutyl)-2-propenamide (9CI) (CA INDEX NAME)

CM 1

CRN 2873-97-4 CMF C9 H15 N O2

CM 2

CRN 79-41-4 CMF C4 H6 O2

RN 114955-50-9 HCAPLUS

CN 2-Butenedioic acid (2Z)-, monoethyl ester, polymer with 2-methyl-2-propenoic acid (9CI) (CA INDEX NAME)

CM 1

CRN 3990-03-2 CMF C6 H8 O4 CDES 2:Z Double bond geometry as shown.

$$HO_2C$$
 Z OEt

CM 2

CRN 79-41-4 CMF C4 H6 O2

$$\begin{array}{c} \text{CH}_2 \\ || \\ \text{Me-C-CO}_2 \text{H} \end{array}$$

RN 114955-51-0 HCAPLUS

CN 2-Propenoic acid, 2-methyl-, polymer with N,N-dimethyl-2-propenamide (9CI) (CA INDEX NAME)

CM 1

CRN 2680-03-7 CMF C5 H9 N O

CM 2

CRN 79-41-4 CMF C4 H6 O2

RN 114956-77-3 HCAPLUS

CN 2-Propenoic acid, 2-methyl-, polymer with N-(1,1-dimethylethoxy)-2-propenamide (9CI) (CA INDEX NAME)

CM 1

CRN 114956-76-2 CMF C7 H13 N O2

CRN 79-41-4 CMF C4 H6 O2

L8 ANSWER 11 OF 13 HCAPLUS COPYRIGHT 2001 ACS

ACCESSION NUMBER: 1981:36113 HCAPLUS

DÖCUMENT NUMBER: 94:36113

TITLE: N-Vinylpyrrolidinone copolymers useful in cosmetics

INVENTOR(S): Jacquet, Bernard; Papantoniou, Christos; Vanlerberghe,

Guy; Mondet, Jean PATENT ASSIGNEE(S): Oreal S. A., Fr.

SOURCE: Ger. Offen., 26 pp. CODEN: GWXXBX

DOCUMENT TYPE: Patent

LANGUAGE: Facent

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
DE 3004567	A1	19800821	DE 1980-3004567	19800207
DE 3004567	C2	19890615		
FR 2448549	A1	19800905	FR 1979-3261	19790208
FR 2448549	В1	19840824		
US 4321348	Α	19820323	US 1980-118634	19800204
AT 8000617	Α	19830915	AT 1980-617	19800205
AT 374364	В	19840410		
NL 8000740	Α	19800812	NL 1980-740	19800206
ES 488971	A1	19800916	ES 1980-488971	19800206
BE 881588	A1	19800807	BE 1980-199896	19800207
JP 55106212	A2	19800814	JP 1980-13093	19800207
JP 63028084	B4	19880607		
AU 8055306	A1	19800814	AU 1980-55306	19800207
GB 2043082	Α	19801001	GB 1980-4187	19800207
GB 2043082	B2	19830316		
BR 8000774	Α	19801021	BR 1980-774	19800207
. CA 1152694	A1	19830823	CA 1980-345240	19800207
CH 644875	Α	19840831	CH 1980-996	19800207
US 4376114	Α	19830308	US 1981-313488	19811021
PRIORITY APPLN. INFO.	:		FR 1979-3261	19790208
			US 1980-118634	19800204

AB Copolymers of N-vinylpyrrolidinone and a vinyl, allyl, or methallyl ester of an .alpha.- or .beta.-cyclic carboxylic acid and (or) a C6-18 .alpha.-olefin, a C6-18 alkyl vinyl ether, and (or) a vinyl, allyl, or methallyl ester of a C2-22 aliph. acid are prepd. for use in hair sprays

and setting lotions, rinses, and shampoos. Thus, a vinyl 4-tert-butylbenzoate-vinyl acetate-N-vinylpyrrolidinone copolymer [ 76057-24-4] was prepd. by refluxing 35, 35, and 30 g of the resp. monomers and 0.2 g azobis(isobutyronitrile) in 300 g EtOH for 24 h, mixing with Et20, and drying the pptd. polymer at reduced pressure. The yield was 42%, and the polymer had a viscosity of 1.56 cP (5% in DMF at 34.6.degree.). An aerosol hair spray was prepd. from the copolymer 3, EtOH or iso-PrOH 40, CH2Cl2 20, and propellant (propane-butane, 35:65) 40

IT 76057-24-4P 76057-25-5P 76057-26-6P 76057-27-7P 76057-28-8P 76057-29-9P 76057-30-2P 76057-31-3P 76057-32-4P 76094-24-1P

RL: PREP (Preparation)

(prepn. of, for hair prepns.) 76057-24-4 HCAPLUS

RN

CN Benzoic acid, 4-(1,1-dimethylethyl)-, ethenyl ester, polymer with ethenyl acetate and 1-ethenyl-2-pyrrolidinone (9CI) (CA INDEX NAME)

CM 1

CRN 15484-80-7 CMF C13 H16 O2

2 CM

CRN 108-05-4 CMF C4 H6 O2

 $AcO-CH=CH_2$ 

CM 3

CRN 88-12-0 CMF C6 H9 N O

76057-25-5 HCAPLUS RN

Benzoic acid, 4-(1,1-dimethylethyl)-, ethenyl ester, polymer with CN

1-ethenyl-2-pyrrolidinone (9CI) (CA INDEX NAME)

CM 1

CRN 15484-80-7 CMF C13 H16 O2

CM 2

CRN 88-12-0 CMF C6 H9 N O

RN 76057-26-6 HCAPLUS

CN Benzoic acid, 4-(1,1-dimethylethyl)-, 2-propenyl ester, polymer with ethenyl acetate and 1-ethenyl-2-pyrrolidinone (9CI) (CA INDEX NAME)

CM 1

CRN 73489-59-5 CMF C14 H18 O2

$$\begin{array}{c|c}
O & \\
\parallel & \\
C-O-CH_2-CH = CH_2
\end{array}$$
t-Bu

CM 2

CRN 108-05-4 CMF C4 H6 O2

AcO-CH-CH2

CRN 88-12-0 CMF C6 H9 N O

RN 76057-27-7 HCAPLUS

CN Benzoic acid, ethenyl ester, polymer with ethenyl acetate, 1-ethenyl-2-pyrrolidinone and 2-propenyl octadecanoate (9CI) (CA INDEX NAME)

CM 1

CRN 6289-31-2 CMF C21 H40 O2

$$^{\circ}_{\parallel}$$
 $_{\rm H_2C}$ = CH-CH<sub>2</sub>-O-C-(CH<sub>2</sub>)<sub>16</sub>-Me

CM 2

CRN 769-78-8 CMF C9 H8 O2

CM 3

CRN 108-05-4 CMF C4 H6 O2

 $AcO-CH-CH_2$ 

CM 4

RN 76057-28-8 HCAPLUS

CN Cyclopentanecarboxylic acid, ethenyl ester, polymer with ethenyl acetate, 1-(ethenyloxy)dodecane and 1-ethenyl-2-pyrrolidinone (9CI) (CA INDEX NAME)

CM 1

CRN 16523-06-1 CMF C8 H12 O2

CM 2

CRN 765-14-0 CMF C14 H28 O

$$H_2C = CH - O - (CH_2)_{11} - Me$$

CM 3

CRN 108-05-4 CMF C4 H6 O2

AcO-CH-CH2

CM 4

RN 76057-29-9 HCAPLUS

CN Benzoic acid, 2-propenyl ester, polymer with ethenyl cyclopentanecarboxylate, ethenyl propanoate and 1-ethenyl-2-pyrrolidinone (9CI) (CA INDEX NAME)

CM 1

CRN 16523-06-1 CMF C8 H12 O2

CM 2

CRN 583-04-0 CMF C10 H10 O2

CM 3

CRN 105-38-4 CMF C5 H8 O2

$$\begin{array}{c} {\rm O} \\ || \\ {\rm H}_2 {\rm C} = = {\rm CH} - {\rm O} - {\rm C} - {\rm Et} \end{array}$$

CM 4

CRN 88-12-0 CMF C6 H9 N O

RN 76057-30-2 HCAPLUS

CN Benzeneacetic acid, ethenyl ester, polymer with ethenyl acetate, 1-ethenyl-2-pyrrolidinone, 2-propenyl 4-(1,1-dimethylethyl)benzoate and 2-propenyl propanoate (9CI) (CA INDEX NAME)

CRN 73489-59-5 CMF C14 H18 O2

CM 2

CRN 18120-64-4 CMF C10 H10 O2

CM 3

CRN 2408-20-0 CMF C6 H10 O2

$$\begin{array}{c} \text{O} \\ \parallel \\ \text{H}_2\text{C} \begin{array}{c} = \text{CH} - \text{CH}_2 - \text{O} - \text{C} - \text{Et} \end{array}$$

CM 4

CRN 108-05-4 CMF C4 H6 O2

$$AcO-CH=CH_2$$

CM 5

RN 76057-31-3 HCAPLUS

CN Cyclopentanecarboxylic acid, ethenyl ester, polymer with ethenyl acetate, 1-(ethenyloxy)octadecane and 1-ethenyl-2-pyrrolidinone (9CI) (CA INDEX NAME),

CM 1

CRN 16523-06-1 CMF C8 H12 O2

CM 2

CRN 930-02-9 CMF C20 H40 O

$$H_2C = CH - O - (CH_2)_{17} - Me$$

CM 3

CRN 108-05-4 CMF C4 H6 O2

 $AcO-CH=CH_2$ 

CM 4

RN 76057-32-4 HCAPLUS

CN Benzoic acid, ethenyl ester, polymer with ethenyl acetate, ethenyl propanoate, 1-ethenyl-2-pyrrolidinone and 2-propenyl propanoate (9CI) (CA INDEX NAME)

CM 1

CRN 2408-20-0 CMF C6 H10 O2

CM 2

CRN 769-78-8 CMF C9 H8 O2

CM 3

CRN 108-05-4 CMF C4 H6 O2

$$AcO-CH=CH_2$$

CM 4

CRN 105-38-4 CMF C5 H8 O2

CM 5

RN 76094-24-1 HCAPLUS

CN Cyclohexanecarboxylic acid, ethenyl ester, polymer with ethenyl acetate and 1-ethenyl-2-pyrrolidinone (9CI) (CA INDEX NAME)

CM 1

CRN 4840-76-0 CMF C9 H14 O2

CM 2

CRN 108-05-4 CMF C4 H6 O2

 $AcO-CH=CH_2$ 

CM 3

CRN 88-12-0 CMF C6 H9 N O

L8 ANSWER 12 OF 13 HCAPLUS COPYRIGHT 2001 ACS

ACCESSION NUMBER: 1980

1980:185720 HCAPLUS

DOCUMENT NUMBER:

92:185720

TITLE:

Cosmetic composition

INVENTOR(S):

Papantoniou, Christos; Mondet, Jean

PATENT ASSIGNEE(S):

Oreal S. A., Fr. Ger. Offen., 29 pp.

SOURCE:

CODEN: GWXXBX

DOCUMENT TYPE:

Patent

LANGUAGE:

German

FAMILY ACC. NUM. COUNT:

r. 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE		APPLICATION NO.	DATE
DE 2925358	A1	19800103	٠	DE 1979-2925358	19790622
FR 2429013	A1	19800118		FR 1978-18832	19780623
FR 2429013	В1	19801107			
FR 2448346	A2	19800905		FR 1979-3260	19790208
FR 2448346	B2	19810213			
US 4272511	Α	19810609	•	US 1979-50428	19790620
BE 877151	A1	19791221		BE 1979-195873	19790621
NL 7904864	Α	19791228		NL 1979-4864	19790621
CA 1142436	A1	19830308		CA 1979-330298	19790621
CH 639844	Α	19831215		CH 1979-5817	19790621
JP 55002691	A2	19800110		JP 1979-78220	19790622
GB 2026004	Α	19800130		GB 1979-21771	19790622
GB 2026004	B2	19821117			
PRIORITY APPLN. INFO.:			FR	1978-18832	19780623
			FR	1979-3260	19790208

AB Copolymers, suitable for use in cosmetics, esp. hair sprays, aq. wave lotions, and shampoos, were prepd. by copolymn. of 1-30% N-vinylpyrrolidone, 13-87% vinyl acetate, and 1-80% of at least a 4th monomer: H2C:CHO2CR1 (R1 = C2-21 alkyl); H2C:CR3CH2O2CR2 (R2 = C1-21 alkyl, R3 = H, Me); CH2:CHOR4 (R4 = C4-18 alkyl); CH2:CH(CH2)nMe(n = 3-15); vinyl, allyl, or methallyl esters of .alpha.- or .beta.-cyclic carboxylic acids. Thus, a vinyl acetate-N-vinylpyrrolidone-crotonic acid-allyl stearate copolymer [73489-50-6] was prepd. by heating the monomers with Me3CO2COCHETBu in EtOH 18 h at 70.degree.. This copolymer was mixed with 7.6 HOCH2CMe2NH2 to pH 7, EtOH to 100 g; 22 g of this mixt. was used with 78 g of 61.5:38.5 Freon 11-Freon 12 in an aerosol container. No scaling was noticed in hair treated with this spray.

IT 73489-57-3P 73489-63-1P

RL: PREP (Preparation)

(prepn. of, for hair lotion)

RN 73489-57-3 HCAPLUS

CN Benzoic acid, 4-(1,1-dimethylethyl)-, ethenyl ester, polymer with 2-butenoic acid, ethenyl acetate and 1-ethenyl-2-pyrrolidinone (9CI) (CF INDEX NAME)

CM 1

CRN 15484-80-7 CMF C13 H16 O2

CM 2

CRN 3724-65-0 CMF C4 H6 O2

 $Me-CH=CH-CO_2H$ 

CM 3

CRN 108-05-4 CMF C4 H6 O2

 $AcO-CH=CH_2$ 

CM 4

CRN 88-12-0 CMF C6 H9 N O

CH=CH<sub>2</sub>

RN 73489-63-1 HCAPLUS

CN Benzoic acid, 4-(1,1-dimethylethyl)-, ethenyl ester, polymer with 2-butenoic acid, ethenyl acetate, 1-ethenyl-2-pyrrolidinone and 2-propenyl octadecanoate (9CI) (CA INDEX NAME)

CM :

CRN 15484-80-7 CMF C13 H16 O2

CM 2

CRN 6289-31-2 CMF C21 H40 O2

$$_{\rm H_2C}$$
 CH-CH<sub>2</sub>-O-C-(CH<sub>2</sub>)<sub>16</sub>-Me

CRN 3724-65-0 CMF C4 H6 O2

Me-CH-CO2H

CM 4

CRN 108-05-4 CMF C4 H6 O2

 $AcO-CH=CH_2$ 

CM 5

CRN 88-12-0 CMF C6 H9 N O

IT 73489-50-6P 73489-68-6P 73489-71-1P

RL: PREP (Preparation)

(prepn. of, for hair spray)

RN 73489-50-6 HCAPLUS

CN Octadecanoic acid, 2-propenyl ester, polymer with 2-butenoic acid, ethenyl acetate and 1-ethenyl-2-piperidinone (9CI) (CA INDEX NAME)

CM 1

CRN 6289-31-2 CMF C21 H40 O2

$$^{\circ}_{H_2C}$$
 CH-CH<sub>2</sub>-O-C-(CH<sub>2</sub>)<sub>16</sub>-Me

CM 2

CRN 4370-23-4 CMF C7 H11 N O

$$\begin{array}{c|c} \text{CH} = \text{CH}_2 \\ \\ \text{O} \\ \\ \text{N} \end{array}$$

CM 3

CRN 3724-65-0 CMF C4 H6 O2

Me-CH-CO2H

CM 4

CRN 108-05-4 CMF C4 H6 O2

AcO-CH-CH2

RN 73489-68-6 HCAPLUS

CN Tricyclo[3.3.1.13,7]decane-1-carboxylic acid, ethenyl ester, polymer with 2-butenoic acid, ethenyl acetate, 1-ethenyl-2-pyrrolidinone and 2-propenyl octadecanoate (9CI) (CA INDEX NAME)

CM

CRN 16917-72-9 CMF C13 H18 O2

CM 2

CRN 6289-31-2 CMF C21 H40 O2

$$\begin{array}{c} \text{O} \\ || \\ \text{H}_2\text{C} = \text{CH-CH}_2 - \text{O-C-(CH}_2)_{16} - \text{Me} \end{array}$$

CRN 3724-65-0 CMF C4 H6 O2

Me-CH-CO2H

CM 4

CRN 108-05-4 CMF C4 H6 O2

 $AcO-CH=CH_2$ 

CM 5

CRN 88-12-0 CMF C6 H9 N O

RN 73489-71-1 HCAPLUS

CN Cyclopentanecarboxylic acid, 1-methyl-, ethenyl ester, polymer with 2-butenoic acid, ethenyl acetate, 1-ethenyl-2-pyrrolidinone and 2-propenyl octadecanoate (9CI) (CA INDEX NAME)

CM 1

CRN 73489-70-0 CMF C9 H14 O2

CM 2

CRN 6289-31-2 CMF C21 H40 O2

$$^{\rm O}_{\rm H_2C}$$
 = CH-CH<sub>2</sub>-O-C-(CH<sub>2</sub>)<sub>16</sub>-Me

CM 3.

CRN 3724-65-0 CMF C4 H6 O2

$$Me-CH=CH-CO_2H$$

CM 4

CRN 108-05-4 CMF C4 H6 O2

$$AcO-CH=CH_2$$

CM 5

CRN 88-12-0 CMF C6 H9 N O

IT -73489-53-9P 73489-55-1P 73489-56-2P

73489-58-4P 73489-60-8P 73489-61-9P

73489-62-0P 73489-64-2P 73489-65-3P

73489-66-4P 73489-67-5P 73489-69-7P

73489-72-2P

RL: PREP (Preparation)

(prepn. of, for shampoo)

RN 73489-53-9 HCAPLUS

CN Dodecanoic acid, ethenyl ester, polymer with 2-butenoic acid, ethenyl acetate and 1-ethenyl-2-pyrrolidinone (9CI) (CA INDEX NAME)

CM 1

CRN 3724-65-0 CMF C4 H6 O2

$$Me-CH-CO_2H$$

CRN 2146-71-6 CMF C14 H26 O2

$$^{\rm O}_{\parallel}$$
  $_{\rm H_2C}$  = CH-O-C-(CH<sub>2</sub>)<sub>10</sub>-Me

CM 3

CRN 108-05-4 CMF C4 H6 O2

$$AcO-CH=CH_2$$

CM 4

CRN 88-12-0 CMF C6 H9 N O

RN 73489-55-1 HCAPLUS

CN Octanoic acid, 2-methyl-1-propenyl ester, polymer with 2-butenoic acid, ethenyl acetate and 1-ethenyl-2-pyrrolidinone (9CI) (CA INDEX NAME)

CM :

CRN 73489-54-0 CMF C12 H22 O2

CM 2

CRN 3724-65-0 CMF C4 H6 O2  $Me-CH=CH-CO_2H$ 

CM 3

CRN 108-05-4 CMF C4 H6 O2

 $AcO-CH=CH_2$ 

CM 4

CRN 88-12-0 CMF C6 H9 N O

RN 73489-56-2 HCAPLUS

CN Pentanoic acid, 2-methyl-1-propenyl ester, polymer with 2-butenoic acid, ethenyl acetate and 1-ethenyl-2-pyrrolidinone (9CI) (CA INDEX NAME)

CM 1

CRN 55088-63-6 CMF C9 H16 O2

CM 2

CRN 3724-65-0 CMF C4 H6 O2

 $Me-CH-CO_2H$ 

CM 3

CRN 108-05-4 CMF C4 H6 O2  $Ac\dot{O}-CH=CH_2$ 

CM 4

CRN 88-12-0 CMF C6 H9 N O

RN 73489-58-4 HCAPLUS

CN Benzoic acid, 4-(1,1-dimethylethyl)-, ethenyl ester, polymer with 2-butenoic acid, ethenyl acetate, ethenyl octadecanoate and 1-ethenyl-2-pyrrolidinone (9CI) (CA INDEX NAME)

CM 1

CRN 15484-80-7 CMF C13 H16 O2

CM 2

CRN 3724-65-0 CMF C4 H6 O2

Me-CH-CO2H

CM 3

CRN 111-63-7 CMF C20 H38 O2

$$^{\rm O}_{\rm H_2C} = ^{\rm CH-O-C-}_{\rm CH_2)_{16}-Me}$$

CRN 108-05-4 CMF C4 H6 O2

 $AcO-CH=CH_2$ 

CM 5

CRN 88-12-0 CMF C6 H9 N O

RN 73489-60-8 HCAPLUS

CN Benzoic acid, 4-(1,1-dimethylethyl)-, 2-propenyl ester, polymer with 2-butenoic acid, ethenyl acetate and 1-ethenyl-2-pyrrolidinone (9CI) (CF INDEX NAME)

CM 1

CRN 73489-59-5 CMF C14 H18 O2

CM 2

CRN 3724-65-0 CMF C4 H6 O2

Me-CH-CO2H

CM 3

CRN 108-05-4 CMF C4 H6 O2 AcO-CH-CH2

CM 4

CRN 88-12-0 CMF C6 H9 N O

CH=CH<sub>2</sub>

RN 73489-61-9 HCAPLUS

CN Benzoic acid, ethenyl ester, polymer with 2-butenoic acid, ethenyl acetate and 1-ethenyl-2-pyrrolidinone (9CI) (CA INDEX NAME)

CM 1

CRN 3724-65-0 CMF C4 H6 O2

 $Me-CH-CO_2H$ 

CM 2

CRN 769-78-8 CMF C9 H8 O2

O || Ph-C-O-CH== CH<sub>2</sub>

CM 3

CRN 108-05-4 CMF C4 H6 O2

· AcO-CH-CH2

CM 4

RN 73489-62-0 HCAPLUS

CN Benzoic acid, ethenyl ester, polymer with 2-butenoic acid, ethenyl acetate, 1-ethenyl-2-pyrrolidinone and 2-propenyl octadecanoate (9CI) (CAINDEX NAME)

CM 1

CRN 6289-31-2 CMF C21 H40 O2

$$_{\rm H_2C}$$
 CH-CH<sub>2</sub>-O-C-(CH<sub>2</sub>)<sub>16</sub>-Me

CM 2

CRN 3724-65-0 CMF C4 H6 O2

$$Me-CH=CH-CO_2H$$

CM 3

CRN 769-78-8 CMF C9 H8 O2

CM 4

CRN 108-05-4 CMF C4 H6 O2

CM 5

RN 73489-64-2 HCAPLUS

CN Benzoic acid, 2-propenyl ester, polymer with 2-butenoic acid, ethenyl acetate, ethenyl octadecanoate, ethenyl propanoate and 1-ethenyl-2-pyrrolidinone (9CI) (CA INDEX NAME)

CM :

CRN 3724-65-0 CMF C4 H6 O2

Me-CH-CO2H

CM 2

CRN 583-04-0 CMF C10 H10 O2

CM 3

CRN 111-63-7 CMF C20 H38 O2

CM 4

CRN 108-05-4 CMF C4 H6 O2

AcO-CH-CH2

CM 5

$$H_2C = CH - O - C - Et$$

CRN 88-12-0 CMF C6 H9 N O

RN 73489-65-3 HCAPLUS

CN Benzoic acid, 4-(1,1-dimethylethyl)-, 2-propenyl ester, polymer with 2-butenoic acid, ethenyl acetate, ethenyl octadecanoate and 1-ethenyl-2-pyrrolidinone (9CI) (CA INDEX NAME)

CM 1

CRN 73489-59-5 CMF C14 H18 O2

$$\begin{array}{c|c}
O \\
\parallel \\
C-O-CH_2-CH = CH_2
\end{array}$$
t-Bu

CM 2

CRN 3724-65-0 CMF C4 H6 O2

Me-CH-CO2H

CM 3

CRN 111-63-7 CMF C20 H38 O2

$$^{\circ}_{\parallel}$$
  $_{12}^{\circ}$   $=$  CH-O-C-(CH<sub>2</sub>)<sub>16</sub>-Me

CRN 108-05-4 CMF C4 H6 O2

AcO-CH-CH2

CM 5

CRN 88-12-0 CMF C6 H9 N O

RN 73489-66-4 HCAPLUS

CN Benzeneacetic acid, ethenyl ester, polymer with 2-butenoic acid, ethenyl acetate, 1-ethenyl-2-pyrrolidinone and 2-propenyl octadecanoate (9CI) (CA INDEX NAME)

CM 1

CRN 18120-64-4 CMF C10 H10 O2

CM 2

CRN 6289-31-2 CMF C21 H40 O2

$$^{\circ}_{H_2C} = ^{\circ}_{CH-CH_2-O-C-(CH_2)_{16}-Me}$$

CM 3

$$Me-CH-CO_2H$$

CRN 108-05-4 CMF C4 H6 O2

$$AcO-CH=CH_2$$

CM 5

CRN 88-12-0 CMF C6 H9 N O

RN 73489-67-5 HCAPLUS

Cyclohexanecarboxylic acid, ethenyl ester, polymer with 2-butenoic acid, ethenyl acetate, 1-ethenyl-2-pyrrolidinone and 2-propenyl octadecanoate (9CI) (CA INDEX NAME) CN

CM1

CRN 6289-31-2 CMF C21 H40 O2

$$^{\rm O}_{\rm H_2C} = ^{\rm CH-CH_2-O-C-(CH_2)_{16}-Me}$$

2 CM

CRN 4840-76-0 CMF C9 H14 O2

CRN 3724-65-0 CMF C4 H6 O2

Me-CH-CO2H

CM 4

CRN 108-05-4 CMF G4 H6 O2

 $AcO-CH=CH_2$ 

CM 5

CRN 88-12-0 CMF C6 H9 N O

RN 73489-69-7 HCAPLUS

CN Cyclopentanecarboxylic acid, ethenyl ester, polymer with 2-butenoic acid, ethenyl acetate, 1-ethenyl-2-pyrrolidinone and 2-propenyl octadecanoate (9CI) (CA INDEX NAME)

CM :

CRN 16523-06-1 CMF C8 H12 O2

CRN 6289-31-2 CMF C21 H40 O2

$$_{\rm H_2C}={\rm CH-CH_2-O-C-}$$
 (CH<sub>2</sub>)<sub>16</sub>-Me

CM 3

CRN 3724-65-0 CMF C4 H6 O2

CM 4

CRN 108-05-4 CMF C4 H6 O2

$$AcO-CH=CH_2$$

CM 5

CRN 88-12-0 CMF C6 H9 N O

RN 73489-72-2 HCAPLUS

CN Cyclohexanecarboxylic acid, 1-methyl-, ethenyl ester, polymer with 2-butenoic acid, ethenyl acetate, 1-ethenyl-2-pyrrolidinone and 2-propenyl octadecanoate (9CI) (CA INDEX NAME)

CM 1

CRN 16696-05-2 CMF C10 H16 O2

CRN 6289-31-2 CMF C21 H40 O2

$$\begin{array}{c} \text{O} \\ || \\ \text{H}_2\text{C} = \text{CH-CH}_2 - \text{O-C-(CH}_2)_{16} - \text{Me} \end{array}$$

CM 3

CRN 3724-65-0 CMF C4 H6 O2

$$Me-CH-CO_2H$$

CM 4

CRN 108-05-4 CMF C4 H6 O2

$$AcO-CH=CH_2$$

CM 5

CRN 88-12-0 CMF C6 H9 N O

L8 ANSWER 13 OF 13 HCAPLUS COPYRIGHT 2001 ACS ACCESSION NUMBER: 1979:462578 HCAPLUS

DOCUMENT NUMBER:

INVENTOR(S):

91:62578

TITLE:

Cosmetic compositions for hair and skin care Jacquet, Bernard; Papantoniou, Christos; Mondet,

Jean

PATENT ASSIGNEE(S):

Oreal S. A., Fr.

SOURCE:

Ger. Offen., 63 pp.

CODEN: GWXXBX

DOCUMENT TYPE:

Patent

LANGUAGE:

German

FAMILY ACC. NUM. COUNT:

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
DE 2841377	A1	19790329	DE 1978-2841377	19780922
US 4287172	Α	19810901	US 1978-944140	19780920
CA 1117016	A1	19820126	CA 1978-311714	19780920
FR 2403794	A1	19790420	FR 1978-27074	19780921
FR 2403794	B1	19810529		
BE 870685	A1	19790322	BE 1978-190648	19780922
GB 2004743	Α	19790411	GB 1978-37837	19780922
GB 2004743	B2	19820804		
JP 54095739	A2	19790728	JP 1978-116059	19780922
CH 634221	Α	19830131	CH 1978-9951	19780922
US 4426375	Α	19840117	US 1981-276193	19810622
PRIORITY APPLN. INFO.:	:		LU 1977-78170	19770923
			US 1978-944140	19780920

GI

Shampoo compns. contq. polymeric I [R1 = carboxyalkyl, AB chlorohydroxyalkyl, epoxypropyl, cyanoethyl, substituent alkanoyl; R2, R3 = H, Me; R4 = H, alkyl, ethoxyalkyl, carboxyalkyl, PhCH2; R5 = ethoxyallyl, carboxyalkyl, PhCH2, ClCH2CH(OH)CH2, epoxypropyl, cyanoalkyl, substituted alkanoyl, diaminotriazinyl, allyl; X = halide; n = 0-2, m = 0.1] were prepd. by polymg. and copolymg. various monomeric alkyltriallylammonium halides. Thus, heating MeN+(CH2CH:CH2)3 Br- in alc. contg. azoisobutyronitrile 72 h at 70.degree. gave 40% of a polymeric material. Addn. of other allyl or acryloyl monomers gave a variety of copolymers.

70642-15-8P 70642-17-0P 70642-19-2P ΙT 70642-21-6P 70642-23-8P 70642-25-0P 70642-27-2P 70642-29-4P 70642-30-7P 70642-31-8P 70642-32-9P 70642-33-0P 70642-34-1P 70642-35-2P 70642-36-3P 70642-38-5P 70642-39-6P 70642-40-9P 70642-41-0P 70642-42-1P 70642-43-2P 70642-44-3P 70642-45-4P 70642-46-5P 70642-47-6P 70642-48-7P 70642-49-8P 70642-50-1P 70642-51-2P 70642-52-3P 70642-53-4P 70642-54-5P 70642-55-6P 70642-56-7P 70642-57-8P 70642-58-9P 70642-59-0P 70642-60-3P 70642-61-4P 70642-64-7P 70642-65-8P 70678-37-4P 70678-38-5P 70678-39-6P 70796-46-2P 70796-47-3P 70803-35-9P 70803-36-0P 70943-94-1P

RL: PREP (Preparation)

(prepn. of, for shampoos)

RN 70642-15-8 HCAPLUS

CN 2-Propen-1-aminium, N-methyl-N,N-di-2-propenyl-, bromide, homopolymer (9CI) (CA INDEX NAME)

CM 1

CRN 70642-14-7 CMF C10 H18 N . Br

$$\begin{array}{c} \text{Me} \\ \mid \\ \mid \\ + \\ \text{CH}_2\text{--} \text{CH} - \text{CH}_2 - \text{CH} \longrightarrow \text{CH}_2 \\ \mid \\ \text{CH}_2 - \text{CH} \longrightarrow \text{CH}_2 \end{array}$$

• Br-

RN 70642-17-0 HCAPLUS

CN 2-Propen-1-aminium, N-[2-(ethenyloxy)ethyl]-N-methyl-N-2-propenyl-, bromide, polymer with N-methyl-N,N-di-2-propenyl-2-propen-1-aminium bromide (9CI) (CA INDEX NAME)

CM 1

CRN 70642-16-9 CMF C11 H20 N O . Br

$$\begin{array}{c} \text{Me} \\ | \\ | \\ \text{H}_2\text{C} = \text{CH} - \text{CH}_2 - \text{N} + \text{CH}_2 - \text{CH} = \text{CH}_2 \\ | \\ \text{CH}_2 - \text{CH}_2 - \text{O} - \text{CH} = \text{CH}_2 \end{array}$$

• Br-

CM 2

CRN 70642-14-7 CMF C10 H18 N . Br

$$H_2C = CH - CH_2 - N + CH_2 - CH = CH_2$$
 $CH_2 - CH = CH_2$ 

• Br-

RN 70642-19-2 HCAPLUS

CN 1-Butanaminium, N,N,N-tri-2-propenyl-, bromide, homopolymer (9CI) (CA INDEX NAME)

CM 1

CRN 70642-18-1 CMF C13 H24 N . Br

$$CH_2-CH = CH_2$$
 $H_2C = CH-CH_2-N + Bu-n$ 
 $CH_2-CH = CH_2$ 

• Br-

RN 70642-21-6 HCAPLUS

CN 1-Octanaminium, N,N,N-tri-2-propenyl-, bromide, homopolymer (9CI) (CA INDEX NAME)

CM 1

CRN 70642-20-5 CMF C17 H32 N . Br

$$\begin{array}{c} \text{CH}_2-\text{CH} \Longrightarrow \text{CH}_2 \\ \downarrow \\ \text{H}_2\text{C} \Longrightarrow \text{CH}-\text{CH}_2-N \xrightarrow{+} (\text{CH}_2)_7-\text{Me} \\ \downarrow \\ \text{CH}_2-\text{CH} \Longrightarrow \text{CH}_2 \end{array}$$

• Br-

RN 70642-23-8 HCAPLUS

CN 1-Decanaminium, N,N,N-tri-2-propenyl-, bromide, homopolymer (9CI) (CA INDEX NAME)

CRN 70642-22-7 CMF C19 H36 N . Br

$$\begin{array}{c} \text{CH}_2\text{--}\text{CH} \longrightarrow \text{CH}_2 \\ | \\ | \\ | \\ \text{CH}_2\text{--} \longrightarrow \text{CH}_2 ) 9^{--} \text{Me} \\ | \\ | \\ \text{CH}_2\text{--} \longrightarrow \text{CH} \longrightarrow \text{CH}_2 \\ \end{array}$$

● Br-

RN 70642-25-0 HCAPLUS

CM 1

CRN 70642-24-9 CMF C21 H40 N . Br

• Br-

RN 70642-27-2 HCAPLUS

CN 2-Propen-1-aminium, N-ethyl-N, N-di-2-propenyl-, bromide, homopolymer (9CI) (CA INDEX NAME)

CM 1

CRN 70642-26-1

CMF C11 H20 N . Br

● Br-

RN 70642-29-4 HCAPLUS

CN Benzenemethanaminium, N,N,N-tri-2-propenyl-, bromide, homopolymer (9CI) (CA INDEX NAME)

CM 1

CRN 70642-28-3 CMF C16 H22 N . Br

$$\begin{array}{c} & \text{CH}_2\text{--Ph} \\ \text{H}_2\text{C} = \text{CH} - \text{CH}_2 - \text{N} + \text{CH}_2 - \text{CH} = \text{CH}_2 \\ \text{CH}_2 - \text{CH} = \text{CH}_2 \end{array}$$

● Br-

RN 70642-30-7 HCAPLUS

CN Benzenemethanaminium, N,N,N-tri-2-propenyl-, bromide, polymer with N,N-dimethyl-N-2-propenyl-2-propen-1-aminium bromide (9CI) (CA INDEX NAME)

CM 1

CRN 70642-28-3 CMF C16 H22 N . Br

$$\begin{array}{c} \text{CH}_2-\text{Ph} \\ | \\ | \\ \text{CH}_2\text{C} = \text{CH}-\text{CH}_2-\text{N} + \text{CH}_2-\text{CH} = \text{CH}_2 \\ | \\ \text{CH}_2-\text{CH} = \text{CH}_2 \end{array}$$

● Br-

CM 2

CRN 14764-64-8 CMF C8 H16 N . Br

$$\begin{array}{c} \text{Me} \\ \mid \\ \mid \\ \text{H}_2\text{C} = \text{CH} - \text{CH}_2 - \text{N} \xrightarrow{+} \text{CH}_2 - \text{CH} = \text{CH}_2 \\ \mid \\ \text{Me} \end{array}$$

• Br-

RN 70642-31-8 HCAPLUS

CN 1-Octanaminium, N-methyl-N,N-di-2-propenyl-, bromide, polymer with N,N,N-tri-2-propenyl-1-octanaminium bromide (9CI) (CA INDEX NAME)

CM 1

CRN 70642-20-5 CMF C17 H32 N . Br

$$CH_2-CH = CH_2$$
 $H_2C = CH - CH_2 - N + (CH_2)_7 - Me$ 
 $CH_2 - CH = CH_2$ 

• Br-

CM 2

CRN 69419-86-9 CMF C15 H30 N . Br

$$H_2C = CH - CH_2 - N - (CH_2)_7 - Me$$
 $CH_2 - CH = CH_2$ 

• Br-

RN 70642-32-9 HCAPLUS

CN

1-Dodecanaminium, N-methyl-N,N-di-2-propenyl-, bromide, polymer with N-ethyl-N,N-di-2-propenyl-2-propen-1-aminium bromide (9CI) (CA INDEX

NAME)

CM 1

CRN 70642-26-1 CMF C11 H20 N . Br

$$\begin{array}{c} \text{Et} \\ \mid \\ \mid \\ \text{CH}_{2}\text{C} = \text{CH} - \text{CH}_{2} - \text{N} + \text{CH}_{2} - \text{CH} = \text{CH}_{2} \\ \mid \\ \text{CH}_{2} - \text{CH} = \text{CH}_{2} \end{array}$$

• Br-

CM 2

CRN 41454-28-8 CMF C19 H38 N . Br

$$\begin{array}{c} & \text{Me} \\ | \\ | \\ \text{H}_2\text{C} & = \text{CH} - \text{CH}_2 - \text{N}^{\frac{1}{2}} \text{ (CH}_2)_{11} - \text{Me} \\ | \\ \text{CH}_2 - \text{CH} & = \text{CH}_2 \end{array}$$

● Br-

RN 70642-33-0 HCAPLUS

CN 1-Decanaminium, N-methyl-N, N-di-2-propenyl-, bromide, polymer with N,N,N-tri-2-propenyl-1-butanaminium bromide (9CI) (CA INDEX NAME)

CM 1

CRN 70642-18-1 CMF C13 H24 N . Br

$$CH_2-CH = CH_2$$
 $H_2C = CH-CH_2-N + Bu-n$ 
 $CH_2-CH = CH_2$ 

Br-

CRN 69419-77-8 CMF C17 H34 N . Br

• Br-

RN 70642-34-1 HCAPLUS

CN 1-Dodecanaminium, N-methyl-N,N-di-2-propenyl-, bromide, polymer with N-methyl-N,N-di-2-propenyl-2-propen-1-aminium bromide (9CI) (CA INDEX NAME)

CM 1

CRN 70642-14-7 CMF C10 H18 N . Br

$$\begin{array}{c} \text{Me} \\ | \\ | \\ | \\ \text{CH}_2\text{C} = \text{CH} - \text{CH}_2 - \text{N} \xrightarrow{+} \text{CH}_2 - \text{CH} = \text{CH}_2 \\ | \\ \text{CH}_2 - \text{CH} = \text{CH}_2 \end{array}$$

● Br-

CM 2

CRN 41454-28-8 CMF C19 H38 N . Br

$$\begin{array}{c} \text{Me} \\ | \\ | \\ \text{H}_2\text{C} = \text{CH} - \text{CH}_2 - \text{N} + \text{(CH}_2)_{11} - \text{Me} \\ | \\ \text{CH}_2 - \text{CH} = \text{CH}_2 \end{array}$$

● Br-

RN 70642-35-2 HCAPLUS

CN 2-Propen-1-aminium, N-methyl-N, N-di-2-propenyl-, bromide, polymer with N-ethyl-N-2-propenyl-2-propen-1-amine hydrochloride (9CI) (CA INDEX NAME)

CM 1

CRN 70642-14-7 CMF C10 H18 N . Br

$$\begin{array}{c} \text{Me} \\ |_{+} \\ \text{CH}_{2}\text{C} = \text{CH} - \text{CH}_{2} - \text{N} + \text{CH}_{2} - \text{CH} = \text{CH}_{2} \\ |_{-} \\ \text{CH}_{2} - \text{CH} = \text{CH}_{2} \end{array}$$

• Br-

CM 2

CRN 13107-02-3 CMF C8 H15 N . C1 H

● HCl

RN 70642-36-3 HCAPLUS

CN 2-Propen-1-aminium, N,N-dimethyl-N-2-propenyl-, bromide, polymer with N-methyl-N,N-di-2-propenyl-2-propen-1-aminium bromide (9CI) (CA INDEX NAME)

CM 1

CRN 70642-14-7 CMF C10 H18 N . Br

$$\begin{array}{c} \text{Me} \\ | \\ | \\ \text{CH}_2\text{C} = \text{CH} - \text{CH}_2 - \text{N} + \text{CH}_2 - \text{CH} = \text{CH}_2 \\ | \\ \text{CH}_2 - \text{CH} = \text{CH}_2 \end{array}$$

● Br-

CM 2

CRN 14764-64-8 CMF C8 H16 N . Br

$$H_2C = CH - CH_2 - N + CH_2 - CH = CH_2$$

Me

Me

Me

Me

Me

Me

Me

• Br-

RN 70642-38-5 HCAPLUS

CN 1-Decanaminium, N,N,N-tri-2-propenyl-, bromide, polymer with N-ethyl-N,N-di-2-propenyl-1-butanaminium bromide (9CI) (CA INDEX NAME)

CM :

CRN 70642-37-4 CMF C12 H24 N . Br

$$\begin{array}{c} \text{Et} \\ |_{+} \\ \text{H}_{2}\text{C} = \text{CH} - \text{CH}_{2} - \text{N} + \text{Bu-n} \\ |_{-} \\ \text{CH}_{2} - \text{CH} = \text{CH}_{2} \end{array}$$

• Br-

CM 2

CRN 70642-22-7 CMF C19 H36 N . Br

$$\begin{array}{c} \text{CH}_2\text{--}\text{CH} \Longrightarrow \text{CH}_2\\ |\\ \text{H}_2\text{C} \Longrightarrow \text{CH}-\text{CH}_2-\text{N}^+ \text{ (CH}_2) 9^-\text{Me}\\ |\\ \text{CH}_2\text{--}\text{CH} \Longrightarrow \text{CH}_2\\ \end{array}$$

RN 70642-39-6 HCAPLUS

CN 2-Propen-1-aminium, N-methyl-N,N-di-2-propenyl-, bromide, polymer with 1-ethenyl-2-pyrrolidinone (9CI) (CA INDEX NAME)

CM 1

CRN 70642-14-7 CMF C10 H18 N . Br

$$H_2C = CH - CH_2 - N + CH_2 - CH = CH_2$$
 $CH_2 - CH = CH_2$ 

● Br -

CM 2

CRN 88-12-0 CMF C6 H9 N O

RN 70642-40-9 HCAPLUS

CN 1-Octanaminium, N,N,N-tri-2-propenyl-, bromide, polymer with 1-ethenyl-2-pyrrolidinone (9CI) (CA INDEX NAME)

CM 1

CRN 70642-20-5 CMF C17 H32 N . Br

$$\begin{array}{c} \text{CH}_2-\text{CH} \longrightarrow \text{CH}_2 \\ \text{H}_2\text{C} \longrightarrow \text{CH}-\text{CH}_2-\text{N} \stackrel{+}{\longrightarrow} (\text{CH}_2)_7-\text{Me} \\ \text{CH}_2-\text{CH} \longrightarrow \text{CH}_2 \end{array}$$

● Br-

CM 2

CRN 88-12-0 CMF C6 H9 N O

RN 70642-41-0 HCAPLUS

CN Benzenemethanaminium, N,N,N-tri-2-propenyl-, bromide, polymer with 1-ethenyl-2-pyrrolidinone (9CI) (CA INDEX NAME)

· CM 1

CRN 70642-28-3 CMF C16 H22 N . Br

$$\begin{array}{c} \text{CH}_2\text{--Ph} \\ | \\ | \\ \text{CH}_2\text{--CH} = \text{CH}_2 - \text{CH}_2 - \text{CH} = \text{CH}_2 \\ | \\ \text{CH}_2\text{--CH} = \text{CH}_2 \end{array}$$

• Br-

CM 2

CRN 88-12-0 CMF C6 H9 N O

RN 70642-42-1 HCAPLUS

CN 1-Dodecanaminium, N-methyl-N,N-di-2-propenyl-, bromide, polymer with 1-ethenyl-2-pyrrolidinone and N-methyl-N,N-di-2-propenyl-2-propen-1-aminium bromide (9CI) (CA INDEX NAME)

CM 1

CRN 70642-14-7 CMF C10 H18 N . Br

$$\begin{array}{c} \text{Me} \\ | \\ | \\ \text{CH}_2\text{C} = \text{CH} - \text{CH}_2 - \text{N} + \text{CH}_2 - \text{CH} = \text{CH}_2 \\ | \\ \text{CH}_2 - \text{CH} = \text{CH}_2 \end{array}$$

• Br

CM 2

CRN 41454-28-8 CMF C19 H38 N . Br

$$\begin{array}{c} \text{Me} \\ | \\ | \\ | \\ \text{CH}_2\text{C} = \text{CH-CH}_2 - \text{N} + \text{(CH}_2)_{11} - \text{Me} \\ | \\ \text{CH}_2 - \text{CH} = \text{CH}_2 \end{array}$$

● Br-

CM 3

CRN 88-12-0 CMF C6 H9 N O

RN 70642-43-2 HCAPLUS

CN 2-Propen-1-aminium, N-methyl-N,N-di-2-propenyl-, bromide, polymer with 2-(dimethylamino)ethyl 2-methyl-2-propenoate (9CI) (CA INDEX NAME)

CM 1

CRN 70642-14-7 CMF C10 H18 N . Br

$$\begin{array}{c} \text{Me} \\ \downarrow \\ \downarrow \\ \text{CH}_2\text{C} = \text{CH} - \text{CH}_2 - \text{N} \xrightarrow{+} \text{CH}_2 - \text{CH} = \text{CH}_2 \\ \downarrow \\ \text{CH}_2 - \text{CH} = \text{CH}_2 \end{array}$$

● Br-

CM 2

CRN 2867-47-2 CMF C8 H15 N O2

$$\begin{array}{c} \text{O} \quad \text{CH}_2 \\ \parallel \quad \parallel \\ \text{Me}_2 \text{N-CH}_2 \text{-CH}_2 \text{-O-C-C-Me} \end{array}$$

RN 70642-44-3 HCAPLUS

CN 1-Decanaminium, N,N,N-tri-2-propenyl-, bromide, polymer with 2-(dimethylamino)ethyl 2-methyl-2-propenoate (9CI) (CA INDEX NAME)

CM 1

CRN 70642-22-7 CMF C19 H36 N . Br

$$\begin{array}{c|c} \text{CH}_2\text{--}\text{CH} & \text{CH}_2\\ \\ \text{H}_2\text{C} & \text{--}\text{CH}_2\text{--}\text{N}^{\frac{1}{2}} \text{ (CH}_2) \text{ 9}^{-\text{Me}}\\ \\ \text{CH}_2\text{--}\text{CH} & \text{--}\text{CH}_2\\ \end{array}$$

CM 2

CRN 2867-47-2 CMF C8 H15 N O2

RN 70642-45-4 HCAPLUS

CN 2-Propen-1-aminium, N-methyl-N,N-di-2-propenyl-, bromide, polymer with 1-dodecene (9CI) (CA INDEX NAME)

CM 1

CRN 70642-14-7 CMF C10 H18 N . Br

$$\begin{array}{c|c} & \text{Me} \\ & | \\ \text{H}_2\text{C} & = \text{CH} - \text{CH}_2 - \text{N} + \text{CH}_2 - \text{CH} = \text{CH}_2 \\ & | \\ & \text{CH}_2 - \text{CH} = \text{CH}_2 \end{array}$$

● Br -

CM 2

CRN 112-41-4 CMF C12 H24

 $H_2C = CH - (CH_2)_9 - Me$ 

RN 70642-46-5 HCAPLUS

CN 1-Butanaminium, N,N,N-tri-2-propenyl-, bromide, polymer with 2-propenyl acetate (9CI) (CA INDEX NAME)

CM 1

CRN 70642-18-1 CMF C13 H24 N . Br

$$CH_2 - CH = CH_2$$
 $H_2C = CH - CH_2 - N + Bu - n$ 
 $CH_2 - CH = CH_2$ 

• Br-

CM 2

CRN 591-87-7 CMF C5 H8 O2

 $AcO-CH_2-CH$   $CH_2$ 

RN 70642-47-6 HCAPLUS

CN 2-Propen-1-aminium, N-ethyl-N,N-di-2-propenyl-, bromide, polymer with ethenyl acetate (9CI) (CA INDEX NAME)

CM 1

CRN 70642-26-1 CMF C11 H20 N . Br

● Br-

CM 2

CRN 108-05-4 CMF C4 H6 O2

 $AcO-CH=CH_2$ 

RN 70642-48-7 HCAPLUS

CN 2-Propen-1-aminium, N-methyl-N,N-di-2-propenyl-, bromide, polymer with methyl 2-methyl-2-propenoate (9CI) (CA INDEX NAME)

CM 1

CRN 70642-14-7

CMF C10 H18 N . Br

$$\begin{array}{c} \text{Me} \\ | \\ | \\ \text{CH}_2\text{C} = \text{CH} - \text{CH}_2 - \text{N} + \text{CH}_2 - \text{CH} = \text{CH}_2 \\ | \\ \text{CH}_2 - \text{CH} = \text{CH}_2 \end{array}$$

● Br-

CM 2

CRN 80-62-6 CMF C5 H8 O2

RN 70642-49-8 HCAPLUS

CN 2-Propen-1-aminium, N-methyl-N,N-di-2-propenyl-, bromide, polymer with N-(1,1-dimethylethyl)-2-propenamide (9CI) (CA INDEX NAME)

CM 1

CRN 70642-14-7 CMF C10 H18 N . Br

$$\begin{array}{c} \text{Me} \\ | \\ | \\ + \\ \text{CH}_2\text{C} = \text{CH} - \text{CH}_2 - \text{N} + \\ | \\ | \\ \text{CH}_2 - \text{CH} = \text{CH}_2 \end{array}$$

● Br~

CM 2

CRN 107-58-4 CMF C7 H13 N O

RN 70642-50-1 HCAPLUS

CN 2-Propen-1-aminium, N-methyl-N,N-di-2-propenyl-, bromide, polymer with N,N-dimethylmethanamine methyl sulfate (9CI) (CA INDEX NAME)

CM 1

CRN 70642-14-7 CMF C10 H18 N . Br

$$\begin{array}{c} \text{Me} \\ | \\ | \\ \text{CH}_2\text{C} = \text{CH} - \text{CH}_2 - \text{N} + \text{CH}_2 - \text{CH} = \text{CH}_2 \\ | \\ \text{CH}_2 - \text{CH} = \text{CH}_2 \end{array}$$

● Br -

CM 2

CRN 56664-69-8 CMF C3 H9 N . C H4 O4 S

CM 3

CRN 75-93-4 CMF C H4 O4 S

CM 4

CRN 75-50-3 CMF C3 H9 N

RN 70642-51-2 HCAPLUS

CN 2-Propen-1-aminium, N-methyl-N,N-di-2-propenyl-, bromide, polymer with hexyl 2-methyl-2-propenoate (9CI) (CA INDEX NAME)

CM 1

CRN 70642-14-7 CMF C10 H18 N . Br

$$\begin{array}{c} \text{Me} \\ | \\ | \\ \text{CH}_2\text{C} = \text{CH} - \text{CH}_2 - \text{N} + \text{CH}_2 - \text{CH} = \text{CH}_2 \\ | \\ \text{CH}_2 - \text{CH} = \text{CH}_2 \end{array}$$

● Br-

CM 2

CRN 142-09-6 CMF C10 H18 O2

$$\begin{array}{c|c} & \text{O} & \text{CH}_2 \\ & || & || \\ \text{Me-} & (\text{CH}_2) & 5-\text{O-C-C-Me} \end{array}$$

RN 70642-52-3 HCAPLUS

CN 2-Propen-1-aminium, N-methyl-N, N-di-2-propenyl-, bromide, polymer with dodecyl 2-methyl-2-propenoate (9CI) (CA INDEX NAME)

CM 1

CRN 70642-14-7 CMF C10 H18 N . Br

$$\begin{array}{c} \text{Me} \\ \mid \\ \mid \\ \downarrow \\ \text{CH}_{2}\text{-CH} = \text{CH}_{2} - \text{CH} = \text{CH}_{2} \\ \mid \\ \text{CH}_{2} - \text{CH} = \text{CH}_{2} \end{array}$$

CM 2

CRN 142-90-5 CMF C16 H30 O2

$$\begin{array}{c|c} & \text{O} & \text{CH}_2 \\ \parallel & \parallel \\ \text{Me-} & \text{(CH}_2)_{11} - \text{O-} \text{C-} \text{C-} \text{Me} \end{array}$$

RN 70642-53-4 HCAPLUS

CN 1-Butanaminium, N,N,N-tri-2-propenyl-, bromide, polymer with N-(1,1-dimethylethyl)-2-propenamide (9CI) (CA INDEX NAME)

CM 1

CRN 70642-18-1 CMF C13 H24 N . Br

$$\begin{array}{c} \text{CH}_2\text{--}\text{CH} \longrightarrow \text{CH}_2 \\ \text{H}_2\text{C} \longrightarrow \text{CH} - \text{CH}_2 - \text{N} + \text{Bu-n} \\ \text{CH}_2 - \text{CH} \longrightarrow \text{CH}_2 \end{array}$$

● Br-

CM 2

CRN 107-58-4 CMF C7 H13 N O

RN 70642-54-5 HCAPLUS

CN 2-Propen-1-aminium, N-ethyl-N,N-di-2-propenyl-, bromide, polymer with hexyl 2-methyl-2-propenoate (9CI) (CA INDEX NAME)

CM 1

CRN 70642-26-1 CMF C11 H20 N . Br

$$\begin{array}{c} \text{Et} \\ | \\ | \\ | \\ \text{CH}_2\text{C} = \text{CH} - \text{CH}_2 - \text{N} \xrightarrow{\text{H}} \text{CH}_2 - \text{CH} = \text{CH}_2 \\ | \\ \text{CH}_2 - \text{CH} = \text{CH}_2 \end{array}$$

• Br-

CM 2

CRN 142-09-6 CMF C10 H18 O2

$$\begin{array}{c|c} & \text{O} & \text{CH}_2 \\ || & || \\ \text{Me}- \text{(CH}_2)_5 - \text{O}- \text{C}- \text{C}- \text{Me} \end{array}$$

RN 70642-55-6 HCAPLUS

CN 1-Dodecanaminium, N,N,N-tri-2-propenyl-, bromide, polymer with N-(hydroxymethyl)-2-propenamide (9CI) (CA INDEX NAME)

CM 1

CRN 70642-24-9 CMF C21 H40 N . Br

$$\begin{array}{c} \text{CH}_2-\text{CH} \Longrightarrow \text{CH}_2 \\ | \\ | \\ \text{H}_2\text{C} \Longrightarrow \text{CH}-\text{CH}_2-\text{N} \stackrel{+}{\longrightarrow} (\text{CH}_2)_{11}-\text{Me} \\ | \\ | \\ \text{CH}_2-\text{CH} \Longrightarrow \text{CH}_2 \end{array}$$

• Br-

CM 2

CRN 924-42-5 CMF C4 H7 N O2

RN 70642-56-7 HCAPLUS

CN 1-Dodecanaminium, N,N,N-tri-2-propenyl-, bromide, polymer with N-(2-hydroxy-1,1-dimethylethyl)-2-propenamide (9CI) (CA INDEX NAME)

CM 1

CRN 70642-24-9 CMF C21 H40 N . Br

$$\begin{array}{c} \text{CH}_2-\text{CH} \Longrightarrow \text{CH}_2 \\ |_+ \\ \text{H}_2\text{C} \Longrightarrow \text{CH}-\text{CH}_2-\text{N} \stackrel{+}{\longrightarrow} \text{(CH}_2)_{11}-\text{Me} \\ |_- \\ \text{CH}_2-\text{CH} \Longrightarrow \text{CH}_2 \end{array}$$

● Br-

CM 2

CRN 13880-03-0 CMF C7 H13 N O2

RN 70642-57-8 HCAPLUS

CN 1-Butanaminium, N-ethyl-N,N-di-2-propenyl-, bromide, polymer with N-(1,1-dimethylethyl)-2-propenamide and N-ethyl-N,N-di-2-propenyl-2-propenl-aminium bromide (9CI) (CA INDEX NAME)

CM 1

CRN 70642-37-4 CMF C12 H24 N . Br

$$\begin{array}{c} \text{Et} \\ \downarrow_{+} \\ \text{H}_{2}\text{C} \longrightarrow \text{CH} - \text{CH}_{2} - \text{N} \stackrel{+}{\longrightarrow} \text{Bu-n} \\ \downarrow \\ \text{CH}_{2} - \text{CH} \longrightarrow \text{CH}_{2} \end{array}$$

● Br-

CM 2

CRN 70642-26-1 CMF C11 H20 N . Br

$$\begin{array}{c} \text{Et} \\ | \\ | \\ \text{CH}_2\text{C} = \text{CH} - \text{CH}_2 - \text{N} + \text{CH}_2 - \text{CH} = \text{CH}_2 \\ | \\ \text{CH}_2 - \text{CH} = \text{CH}_2 \end{array}$$

● Br -

CM 3

CRN 107-58-4 CMF C7 H13 N O

RN 70642-58-9 HCAPLUS

CN 1-Dodecanaminium, N-methyl-N,N-di-2-propenyl-, bromide, polymer with ethenyl acetate and N,N,N-tri-2-propenyl-1-octanaminium bromide (9CI) (CF INDEX NAME)

CM 1

CRN 70642-20-5 CMF C17 H32 N . Br .

$$CH_2-CH = CH_2$$
 $H_2C = CH-CH_2-N^{+}(CH_2)_7-Me$ 
 $CH_2-CH = CH_2$ 

• Br

CM 2

CRN 41454-28-8 CMF C19 H38 N . Br

$$\begin{array}{c} \text{Me} \\ | \\ | \\ \text{H}_2\text{C} = \text{CH} - \text{CH}_2 - \text{N}^+ \text{ (CH}_2)_{11} - \text{Me} \\ | \\ \text{CH}_2 - \text{CH} = \text{CH}_2 \end{array}$$

● Br<sup>-</sup>

CM 3

CRN 108-05-4 CMF C4 H6 O2

 $AcO-CH=CH_2$ 

RN 70642-59-0 HCAPLUS

CN 1-Butanaminium, N,N,N-tri-2-propenyl-, bromide, polymer with 2-(dimethylamino)ethyl 2-methyl-2-propenoate and dodecyl 2-methyl-2-propenoate (9CI) (CA INDEX NAME)

CM 1

CRN 70642-18-1 CMF C13 H24 N . Br

$$\begin{array}{c} \text{CH}_2-\text{CH} \Longrightarrow \text{CH}_2 \\ \downarrow \\ \text{H}_2\text{C} \Longrightarrow \text{CH}-\text{CH}_2-\text{N} \xrightarrow{+} \text{Bu-n} \\ \downarrow \\ \text{CH}_2-\text{CH} \Longrightarrow \text{CH}_2 \end{array}$$

CM 2

CRN 2867-47-2 CMF C8 H15 N O2

$$\begin{array}{c} \text{O} \quad \text{CH}_2 \\ \parallel \quad \parallel \\ \text{Me}_2 \text{N-CH}_2 - \text{CH}_2 - \text{O-C-C-Me} \end{array}$$

CM 3

CRN 142-90-5 CMF C16 H30 O2

$$\begin{array}{c|c} & \text{O} & \text{CH}_2 \\ \parallel & \parallel \\ \text{Me-} & \text{(CH}_2)_{11} - \text{O-} \text{C-} \text{C-} \text{Me} \end{array}$$

RN 70642-60-3 HCAPLUS

CN Benzenemethanaminium, N,N,N-tri-2-propenyl-, bromide, polymer with N-(1,1-dimethylethyl)-2-propenamide and 2-propenamide (9CI) (CA INDEX NAME)

CM 1

CRN 70642-28-3 CMF C16 H22 N . Br

$$^{\text{CH}_2-\text{Ph}}_{\text{H}_2\text{C}}=\text{CH}-\text{CH}_2-\text{N}^+-\text{CH}_2-\text{CH}=\text{CH}_2$$

Br-

CM 2

CRN 107-58-4 CMF C7 H13 N O

CM 3

CRN 79-06-1 CMF C3 H5 N O

RN 70642-61-4 HCAPLUS

CN Benzenemethanaminium, N,N,N-tri-2-propenyl-, bromide, polymer with N-(hydroxymethyl)-2-propenamide and N-methyl-N,N-di-2-propenyl-1-dodecanaminium bromide (9CI) (CA INDEX NAME)

CM 1

CRN 70642-28-3 CMF C16 H22 N . Br

$$\begin{array}{c} \text{CH}_2\text{- Ph} \\ | \\ | \\ \text{CH}_2\text{- CH} = \text{CH}_2 - \text{N} + \text{CH}_2 - \text{CH} = \text{CH}_2 \\ | \\ \text{CH}_2 - \text{CH} = \text{CH}_2 \end{array}$$

• Br-

CM 2

CRN 41454-28-8 CMF C19 H38 N . Br

$$\begin{array}{c} & \text{Me} \\ | \\ | \\ \text{H}_2\text{C} = \text{CH} - \text{CH}_2 - \text{N}^{\frac{1}{2}} \text{ (CH}_2)_{11} - \text{Me} \\ | \\ \text{CH}_2 - \text{CH} = \text{CH}_2 \end{array}$$

CM 3

CRN 924-42-5 CMF C4 H7 N O2

RN 70642-64-7 HCAPLUS

CN 2-Propen-1-aminium, N,N-dimethyl-N-2-propenyl-, chloride, polymer with N-methyl-N,N-di-2-propenyl-2-propen-1-aminium bromide and N,N,N-trimethyl-1-[(2-methyl-1-oxo-2-propenyl)oxy]ethanaminium methyl sulfate (9CI) (CA INDEX NAME)

CM 1

CRN 70642-14-7 CMF C10 H18 N . Br

$$\begin{array}{c} \text{Me} \\ \mid \\ \mid \\ \text{CH}_2\text{C} = \text{CH} - \text{CH}_2 - \text{N} \xrightarrow{+} \text{CH}_2 - \text{CH} = \text{CH}_2 \\ \mid \\ \text{CH}_2 - \text{CH} = \text{CH}_2 \end{array}$$

• Br-

CM 2

CRN 7398-69-8 CMF C8 H16 N . Cl

● cl-

CM 3

CRN 70642-63-6 CMF C9 H18 N O2 . C H3 O4 S

CM 4

CRN 70642-62-5 CMF C9 H18 N O2

CM 5

CRN 21228-90-0 CMF C H3 O4 S

RN 70642-65-8 HCAPLUS

CN 2-Propen-1-aminium, N-methyl-N,N-di-2-propenyl-, bromide, polymer with 2-propenamide (9CI) (CA INDEX NAME)

CM 1

CRN 70642-14-7 CMF C10 H18 N . Br

$$\begin{array}{c} \text{Me} \\ | \\ | \\ \text{CH}_2\text{C} = \text{CH} - \text{CH}_2 - \text{N} - \text{CH}_2 - \text{CH} = \text{CH}_2 \\ | \\ \text{CH}_2 - \text{CH} = \text{CH}_2 \end{array}$$

Br-

CRN 79-06-1 CMF C3 H5 N O

RN 70678-37-4 HCAPLUS

CN 1-Dodecanaminium, N,N,N-tri-2-propenyl-, bromide, polymer with N,N-dimethylmethanamine methyl sulfate (9CI) (CA INDEX NAME)

CM 1

CRN 70642-24-9 CMF C21 H40 N . Br

$$\begin{array}{c} \text{CH}_2-\text{CH} \Longrightarrow \text{CH}_2 \\ \downarrow \\ \text{H}_2\text{C} \Longrightarrow \text{CH}-\text{CH}_2-\text{N} \longrightarrow \text{(CH}_2)}_{11}-\text{Me} \\ \downarrow \\ \text{CH}_2-\text{CH} \Longrightarrow \text{CH}_2 \end{array}$$

• Br-

CRN 56664-69-8 CMF C3 H9 N . C H4 O4 S

CM 3

CRN 75-93-4 CMF C H4 O4 S

CM 4

CRN 75-50-3 CMF C3 H9 N

RN 70678-38-5 HCAPLUS

CN 2-Propen-1-aminium, N,N-dimethyl-N-2-propenyl-, bromide, polymer with 1-dodecene and N-ethyl-N,N-di-2-propenyl-2-propen-1-aminium bromide (9CI) (CA INDEX NAME)

CM 1

CRN 70642-26-1 CMF C11 H20 N . Br

$$\begin{array}{c} \text{Et} \\ | \\ | \\ \text{CH}_2\text{C} = \text{CH} - \text{CH}_2 - \text{N} + \text{CH}_2 - \text{CH} = \text{CH}_2 \\ | \\ \text{CH}_2 - \text{CH} = \text{CH}_2 \end{array}$$

● Br -

CM 2

CRN 14764-64-8 CMF C8 H16 N . Br

$$H_2C = CH - CH_2 - N + CH_2 - CH = CH_2$$
 $H_2C = CH - CH_2 - N + CH_2 - CH = CH_2$ 
 $H_2C = CH - CH_2 - CH_2 - CH_2$ 
 $H_2C = CH - CH_2 - CH_2 - CH_2$ 

● Br -

CM 3

CRN 112-41-4 CMF C12 H24

 $H_2C = CH - (CH_2)_9 - Me$ 

RN 70678-39-6 HCAPLUS

CN 2-Propen-1-aminium, N,N-dimethyl-N-2-propenyl-, bromide, polymer with N-(1,1-dimethylethyl)-2-propenamide, N-methyl-N,N-di-2-propenyl-2-propen-1-

aminium bromide and 2-propenamide (9CI) (CA INDEX NAME)

CM 1

CRN 70642-14-7 CMF C10 H18 N . Br

$$\begin{array}{c} \text{Me} & \cdot \\ \downarrow \\ \text{H}_2\text{C} \longrightarrow \text{CH} - \text{CH}_2 - \text{N} \stackrel{+}{\longrightarrow} \text{CH}_2 - \text{CH} \longrightarrow \text{CH}_2 \\ \downarrow \\ \text{CH}_2 - \text{CH} \longrightarrow \text{CH}_2 \end{array}$$

● Br -

CM 2

CRN 14764-64-8 CMF C8 H16 N . Br

$$\begin{array}{c} \text{Me} \\ \downarrow \\ \text{H}_2\text{C} \longrightarrow \text{CH} - \text{CH}_2 - \text{N} \stackrel{+}{\longrightarrow} \text{CH}_2 - \text{CH} \longrightarrow \text{CH}_2 \\ \downarrow \\ \text{Me} \end{array}$$

• Br-

CM 3

CRN 107-58-4 CMF C7 H13 N O

CM 4

CRN 79-06-1 CMF C3 H5 N O

RN 70796-46-2 HCAPLUS

CN 2-Propen-1-aminium, N-[2-(ethenyloxy)ethyl]-N-methyl-N-2-propenyl-, bromide, polymer with 1-ethenyl-2-pyrrolidinone (9CI) (CA INDEX NAME)

CM 1

CRN 70642-16-9 CMF C11 H20 N O . Br

● Br-

CM 2

CRN 88-12-0 CMF C6 H9 N O

RN 70796-47-3 HCAPLUS

CN 1-Dodecanaminium, N,N,N-tri-2-propenyl-, bromide, polymer with 2-(dimethylamino)ethyl 2-methyl-2-propenoate and 1-ethenyl-2-pyrrolidinone (9CI) (CA INDEX NAME)

CM 1

CRN 70642-24-9 CMF C21 H40 N . Br

$$\begin{array}{c} \text{CH}_2\text{--}\text{CH} \longrightarrow \text{CH}_2 \\ | \\ | \\ | \\ \text{CH}_2\text{--} \longrightarrow \text{CH}_2 \cap \text{CH}_2 \\ | \\ | \\ \text{CH}_2\text{--} \longrightarrow \text{CH}_2 \\ \end{array}$$

CM 2

CRN 2867-47-2 CMF C8 H15 N O2

$$\begin{array}{c|c} \text{O} & \text{CH}_2 \\ \parallel & \parallel \\ \text{Me}_2 \text{N} - \text{CH}_2 - \text{CH}_2 - \text{O} - \text{C} - \text{C} - \text{Me} \end{array}$$

CM 3

CRN 88-12-0 CMF C6 H9 N O

RN 70803-35-9 HCAPLUS

CN 1-Decanaminium, N-methyl-N,N-di-2-propenyl-, bromide, polymer with 2-(dimethylamino)ethyl 2-methyl-2-propenoate and N,N,N-tri-2-propenyl-1-decanaminium bromide (9CI) (CA INDEX NAME)

CM 1

CRN 70642-22-7 CMF C19 H36 N . Br

$$CH_2-CH=CH_2$$
 $H_2C=CH-CH_2-N^+$ 
 $(CH_2)_9-Me$ 
 $CH_2-CH=CH_2$ 

● Br-

CM 2

CRN 69419-77-8 CMF C17 H34 N . Br

$$\begin{array}{c} \text{Me} \\ | \\ | \\ \text{H}_2\text{C} = \text{CH} - \text{CH}_2 - \text{N} + \text{(CH}_2)_9 - \text{Me} \\ | \\ \text{CH}_2 - \text{CH} = \text{CH}_2 \end{array}$$

• Br-

CM 3

CRN 2867-47-2 CMF C8 H15 N O2

$$\begin{array}{c|c} & \text{O} & \text{CH}_2 \\ \parallel & \parallel \\ \text{Me}_2 \text{N} - \text{CH}_2 - \text{CH}_2 - \text{O} - \text{C} - \text{C} - \text{Me} \end{array}$$

RN 70803-36-0 HCAPLUS

CN 2-Propen-1-aminium, N-methyl-N,N-di-2-propenyl-, bromide, polymer with 1-ethenyl-2-pyrrolidinone and N-ethyl-N-2-propenyl-2-propen-1-amine hydrochloride (9CI) (CA INDEX NAME)

CM 1

CRN 70642-14-7 CMF C10 H18 N . Br

$$H_2C = CH - CH_2 - N + CH_2 - CH = CH_2$$
 $CH_2 - CH = CH_2$ 

CM 2

CRN 13107-02-3 CMF C8 H15 N . Cl H

● HCl

CM 3

CRN 88-12-0 CMF C6 H9 N O

RN 70943-94-1 HCAPLUS

CN 1-Octanaminium, N-methyl-N,N-di-2-propenyl-, bromide, polymer with 2-(dimethylamino)ethyl 2-methyl-2-propenoate and N,N,N-tri-2-propenyl-1-octanaminium bromide (9CI) (CA INDEX NAME)

CM 1

CRN 70642-20-5 CMF C17 H32 N . Br

$$\begin{array}{c} \text{CH}_2\text{--}\text{CH} \longrightarrow \text{CH}_2 \\ | \\ \text{H}_2\text{C} \longrightarrow \text{CH}-\text{CH}_2-\text{N}^{\frac{1}{2}} \text{ (CH}_2)_7\text{--Me} \\ | \\ \text{CH}_2\text{--}\text{CH} \longrightarrow \text{CH}_2 \end{array}$$

$$\begin{array}{c} \text{Me} \\ | \\ | \\ | \\ \text{CH}_2\text{--} \text{CH}_2 - \text{N} \xrightarrow{+} \text{(CH}_2)_7 - \text{Me} \\ | \\ | \\ \text{CH}_2 - \text{CH} \xrightarrow{==} \text{CH}_2 \end{array}$$

$$\begin{array}{c|c} & \text{O} & \text{CH}_2 \\ \parallel & \parallel & \parallel \\ \text{Me}_2 \text{N-CH}_2 \text{-CH}_2 \text{-O-C-C-Me} \end{array}$$